



# ANALYTICAL REPORT

Montana Environmental Laboratory LLC  
1170 N. Meridian Rd., P.O. Box 8900, Kalispell, MT 59904-1900  
Phone: 406-755-2131 Fax: 406-257-5359 www.melab.us

Randy Sundberg  
Many Lakes Vacation Village HOA  
P. O. Box 2032  
Bigfork, MT 59911

PWS ID:  
Project:

**Client Sample ID:** N. Kidd Lake **Lab ID:** 1705629-01  
**Matrix:** ENVIRO WATER **Collected:** 06/12/2017 8:25 **Received:** 06/12/2017 15:00

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.26	mg/L	0.03		SM4500NOrg		07/03/2017 17:52	GDM
Phosphorus, Total low level	0.015	mg/L	0.001		E365.1		06/14/2017 15:30	BLW
Turbidity	0.36	NTU	0.05		E180.1		06/14/2017 16:59	BLW

**Client Sample ID:** Kidd Lake **Lab ID:** 1705629-02  
**Matrix:** ENVIRO WATER **Collected:** 06/12/2017 8:30 **Received:** 06/12/2017 15:00

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.25	mg/L	0.03		SM4500NOrg		07/03/2017 17:52	GDM
Phosphorus, Total low level	0.010	mg/L	0.001		E365.1		06/14/2017 15:30	BLW
Turbidity	0.36	NTU	0.05		E180.1		06/14/2017 16:59	BLW

**Client Sample ID:** E. John Lake **Lab ID:** 1705629-03  
**Matrix:** ENVIRO WATER **Collected:** 06/12/2017 8:40 **Received:** 06/12/2017 15:00

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.26	mg/L	0.03		SM4500NOrg		07/03/2017 17:52	GDM
Phosphorus, Total low level	0.007	mg/L	0.001		E365.1		06/14/2017 15:30	BLW
Turbidity	0.31	NTU	0.05		E180.1		06/14/2017 16:59	BLW

**Client Sample ID:** W. John Lake **Lab ID:** 1705629-04  
**Matrix:** ENVIRO WATER **Collected:** 06/12/2017 8:45 **Received:** 06/12/2017 15:00

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.29	mg/L	0.03		SM4500NOrg		07/03/2017 17:52	GDM
Phosphorus, Total low level	0.008	mg/L	0.001		E365.1		06/14/2017 15:30	BLW
Turbidity	0.30	NTU	0.05		E180.1		06/14/2017 16:59	BLW



# ANALYTICAL REPORT

Montana Environmental Laboratory LLC  
1170 N. Meridian Rd., P.O. Box 8900, Kalispell, MT 59904-1900  
Phone: 406-755-2131 Fax: 406-257-5359 www.melab.us

Randy Sundberg  
Many Lakes Vacation Village HOA  
P. O. Box 2032  
Bigfork, MT 59911

PWS ID:  
Project:

**Client Sample ID:** W. Cree Lake **Lab ID:** 1705629-05  
**Matrix:** ENVIRO WATER **Collected:** 06/12/2017 8:50 **Received:** 06/12/2017 15:00

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.31	mg/L	0.03		SM4500NOrg		07/03/2017 17:52	GDM
Phosphorus, Total low level	0.006	mg/L	0.001		E365.1		06/14/2017 15:30	BLW
Turbidity	0.24	NTU	0.05		E180.1		06/14/2017 16:59	BLW

**Client Sample ID:** E. Swimming Lake **Lab ID:** 1705629-06  
**Matrix:** ENVIRO WATER **Collected:** 06/12/2017 8:55 **Received:** 06/12/2017 15:00

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.34	mg/L	0.03		SM4500NOrg		07/03/2017 17:52	GDM
Phosphorus, Total low level	0.005	mg/L	0.001		E365.1		06/14/2017 15:30	BLW
Turbidity	0.28	NTU	0.05		E180.1		06/14/2017 16:59	BLW

**Client Sample ID:** S. Swimming Lake **Lab ID:** 1705629-07  
**Matrix:** ENVIRO WATER **Collected:** 06/12/2017 9:00 **Received:** 06/12/2017 15:00

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.38	mg/L	0.03		SM4500NOrg		07/03/2017 17:52	GDM
Phosphorus, Total low level	0.004	mg/L	0.001		E365.1		06/14/2017 15:30	BLW
Turbidity	0.34	NTU	0.05		E180.1		06/14/2017 16:59	BLW

**Client Sample ID:** W. Gilbert Lake **Lab ID:** 1705629-08  
**Matrix:** ENVIRO WATER **Collected:** 06/12/2017 9:05 **Received:** 06/12/2017 15:00

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.50	mg/L	0.03		SM4500NOrg		07/03/2017 17:52	GDM
Phosphorus, Total low level	0.005	mg/L	0.001		E365.1		06/14/2017 15:30	BLW
Turbidity	0.30	NTU	0.05		E180.1		06/14/2017 16:59	BLW



# ANALYTICAL REPORT

Montana Environmental Laboratory LLC  
1170 N. Meridian Rd., P.O. Box 8900, Kalispell, MT 59904-1900  
Phone: 406-755-2131 Fax: 406-257-5359 www.melab.us

Randy Sundberg  
Many Lakes Vacation Village HOA  
P. O. Box 2032  
Bigfork, MT 59911

PWS ID:  
Project:

**Client Sample ID:** E. Jake Lake **Lab ID:** 1705629-09  
**Matrix:** ENVIRO WATER **Collected:** 06/12/2017 9:10 **Received:** 06/12/2017 15:00

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.27	mg/L	0.03		SM4500NOrg		07/03/2017 17:52	GDM
Phosphorus, Total low level	0.005	mg/L	0.001		E365.1		06/14/2017 15:30	BLW
Turbidity	0.26	NTU	0.05		E180.1		06/14/2017 16:59	BLW

**Client Sample ID:** Harbin Lake **Lab ID:** 1705629-10  
**Matrix:** ENVIRO WATER **Collected:** 06/12/2017 9:15 **Received:** 06/12/2017 15:00

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.21	mg/L	0.03		SM4500NOrg		07/03/2017 17:52	GDM
Phosphorus, Total low level	0.005	mg/L	0.001		E365.1		06/14/2017 15:30	BLW
Turbidity	0.22	NTU	0.05		E180.1		06/14/2017 16:59	BLW

**Client Sample ID:** Love Lake **Lab ID:** 1705629-11  
**Matrix:** ENVIRO WATER **Collected:** 06/12/2017 9:25 **Received:** 06/12/2017 15:00

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.27	mg/L	0.03		SM4500NOrg		07/03/2017 17:52	GDM
Phosphorus, Total low level	0.010	mg/L	0.001		E365.1		06/14/2017 15:30	BLW
Turbidity	0.32	NTU	0.05		E180.1		06/14/2017 16:59	BLW

**Client Sample ID:** E. Cree Lake **Lab ID:** 1705629-12  
**Matrix:** ENVIRO WATER **Collected:** 06/12/2017 9:35 **Received:** 06/12/2017 15:00

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.18	mg/L	0.03		SM4500NOrg		07/03/2017 17:52	GDM
Phosphorus, Total low level	0.003	mg/L	0.001		E365.1		06/14/2017 15:30	BLW
Turbidity	0.22	NTU	0.05		E180.1		06/14/2017 16:59	BLW



# ANALYTICAL REPORT

Montana Environmental Laboratory LLC  
1170 N. Meridian Rd., P.O. Box 8900, Kalispell, MT 59904-1900  
Phone: 406-755-2131 Fax: 406-257-5359 www.melab.us

Randy Sundberg  
Many Lakes Vacation Village HOA  
P. O. Box 2032  
Bigfork, MT 59911

PWS ID:  
Project:

**Client Sample ID:** S. Ann Lake **Lab ID:** 1705629-13  
**Matrix:** ENVIRO WATER **Collected:** 06/12/2017 9:50 **Received:** 06/12/2017 15:00

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.34	mg/L	0.03		SM4500NOrg		07/03/2017 17:52	GDM
Phosphorus, Total low level	0.012	mg/L	0.001		E365.1		06/14/2017 15:30	BLW
Turbidity	0.49	NTU	0.05		E180.1		06/14/2017 16:59	BLW

**Client Sample ID:** S. Amy Lake **Lab ID:** 1705629-14  
**Matrix:** ENVIRO WATER **Collected:** 06/12/2017 9:55 **Received:** 06/12/2017 15:00

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.33	mg/L	0.03		SM4500NOrg		07/03/2017 17:52	GDM
Phosphorus, Total low level	0.011	mg/L	0.001		E365.1		06/14/2017 15:30	BLW
Turbidity	0.41	NTU	0.05		E180.1		06/14/2017 16:59	BLW

**Client Sample ID:** N. Kathy Lake **Lab ID:** 1705629-15  
**Matrix:** ENVIRO WATER **Collected:** 06/12/2017 10:00 **Received:** 06/12/2017 15:00

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.38	mg/L	0.03		SM4500NOrg		07/03/2017 17:52	GDM
Phosphorus, Total low level	0.007	mg/L	0.001		E365.1		06/14/2017 15:30	BLW
Turbidity	0.39	NTU	0.05		E180.1		06/14/2017 16:59	BLW

**Client Sample ID:** Gilbert Lake **Lab ID:** 1705629-16  
**Matrix:** ENVIRO WATER **Collected:** 06/12/2017 10:05 **Received:** 06/12/2017 15:00

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.40	mg/L	0.03		SM4500NOrg		07/03/2017 17:52	GDM
Phosphorus, Total low level	0.006	mg/L	0.001		E365.1		06/20/2017 16:17	GDM
Turbidity	0.29	NTU	0.05		E180.1		06/14/2017 16:59	BLW



# ANALYTICAL REPORT

Montana Environmental Laboratory LLC  
1170 N. Meridian Rd., P.O. Box 8900, Kalispell, MT 59904-1900  
Phone: 406-755-2131 Fax: 406-257-5359 www.melab.us

Randy Sundberg  
Many Lakes Vacation Village HOA  
P. O. Box 2032  
Bigfork, MT 59911

PWS ID:  
Project:

**Client Sample ID:** SW Kathy Lake **Lab ID:** 1705629-17  
**Matrix:** ENVIRO WATER **Collected:** 06/12/2017 10:20 **Received:** 06/12/2017 15:00

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.26	mg/L	0.03		SM4500NOrg		07/03/2017 17:52	GDM
Phosphorus, Total low level	0.009	mg/L	0.001		E365.1		06/20/2017 16:17	GDM
Turbidity	0.37	NTU	0.05		E180.1		06/14/2017 16:59	BLW

**Client Sample ID:** E. Ann Lake **Lab ID:** 1705629-18  
**Matrix:** ENVIRO WATER **Collected:** 06/12/2017 10:30 **Received:** 06/12/2017 15:00

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.36	mg/L	0.03		SM4500NOrg		07/03/2017 17:52	GDM
Phosphorus, Total low level	0.011	mg/L	0.001		E365.1		06/20/2017 16:17	GDM
Turbidity	0.48	NTU	0.05		E180.1		06/14/2017 16:59	BLW

**Client Sample ID:** NE Peters Lake **Lab ID:** 1705629-19  
**Matrix:** ENVIRO WATER **Collected:** 06/12/2017 10:40 **Received:** 06/12/2017 15:00

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.45	mg/L	0.03		SM4500NOrg		07/03/2017 17:52	GDM
Phosphorus, Total low level	0.009	mg/L	0.001		E365.1		06/20/2017 16:17	GDM
Turbidity	0.59	NTU	0.05		E180.1		06/14/2017 16:59	BLW

**Client Sample ID:** SW Douglas Lake **Lab ID:** 1705629-20  
**Matrix:** ENVIRO WATER **Collected:** 06/12/2017 10:45 **Received:** 06/12/2017 15:00

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.26	mg/L	0.03		SM4500NOrg		07/03/2017 17:52	GDM
Phosphorus, Total low level	0.008	mg/L	0.001		E365.1		06/20/2017 16:17	GDM
Turbidity	0.54	NTU	0.05		E180.1		06/14/2017 16:59	BLW



# ANALYTICAL REPORT

Montana Environmental Laboratory LLC  
1170 N. Meridian Rd., P.O. Box 8900, Kalispell, MT 59904-1900  
Phone: 406-755-2131 Fax: 406-257-5359 www.melab.us

Randy Sundberg  
Many Lakes Vacation Village HOA  
P. O. Box 2032  
Bigfork, MT 59911

PWS ID:  
Project:

**Client Sample ID:** SE Douglas Lake **Lab ID:** 1705629-21  
**Matrix:** ENVIRO WATER **Collected:** 06/12/2017 11:00 **Received:** 06/12/2017 15:00

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	<b>0.28</b>	mg/L	0.03		SM4500NOrg		07/03/2017 17:52	GDM
Phosphorus, Total low level	<b>0.008</b>	mg/L	0.001		E365.1		06/20/2017 16:17	GDM
Turbidity	<b>0.54</b>	NTU	0.05		E180.1		06/14/2017 16:59	BLW

**Client Sample ID:** E. Tamarack Lake **Lab ID:** 1705629-22  
**Matrix:** ENVIRO WATER **Collected:** 06/12/2017 11:05 **Received:** 06/12/2017 15:00

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	<b>0.44</b>	mg/L	0.03		SM4500NOrg		07/03/2017 17:52	GDM
Phosphorus, Total low level	<b>0.005</b>	mg/L	0.001		E365.1		06/20/2017 16:17	GDM
Turbidity	<b>0.26</b>	NTU	0.05		E180.1		06/14/2017 16:59	BLW

**Client Sample ID:** SW Dan Lake **Lab ID:** 1705629-23  
**Matrix:** ENVIRO WATER **Collected:** 06/12/2017 11:10 **Received:** 06/12/2017 15:00

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	<b>0.68</b>	mg/L	0.03		SM4500NOrg		07/03/2017 17:52	GDM
Phosphorus, Total low level	<b>0.017</b>	mg/L	0.001		E365.1		06/20/2017 16:17	GDM
Turbidity	<b>0.45</b>	NTU	0.05		E180.1		06/14/2017 16:59	BLW

**Client Sample ID:** Lake SW of Dan Lake **Lab ID:** 1705629-24  
**Matrix:** ENVIRO WATER **Collected:** 06/12/2017 11:15 **Received:** 06/12/2017 15:00

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	<b>1.02</b>	mg/L	0.03		SM4500NOrg		07/03/2017 17:52	GDM
Phosphorus, Total low level	<b>0.082</b>	mg/L	0.001		E365.1		06/20/2017 16:17	GDM
Turbidity	<b>0.35</b>	NTU	0.05		E180.1		06/14/2017 16:59	BLW



# ANALYTICAL REPORT

Montana Environmental Laboratory LLC

1170 N. Meridian Rd., P.O. Box 8900, Kalispell, MT 59904-1900

Phone: 406-755-2131 Fax: 406-257-5359 www.melab.us

Randy Sundberg  
Many Lakes Vacation Village HOA  
P. O. Box 2032  
Bigfork, MT 59911

PWS ID:  
Project:

**Client Sample ID:** NW Dan Lake **Lab ID:** 1705629-25  
**Matrix:** ENVIRO WATER **Collected:** 06/12/2017 11:20 **Received:** 06/12/2017 15:00

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	<b>0.68</b>	mg/L	0.03		SM4500NOrg		07/03/2017 17:52	GDM
Phosphorus, Total low level	<b>0.025</b>	mg/L	0.001		E365.1		06/20/2017 16:17	GDM
Turbidity	<b>0.31</b>	NTU	0.05		E180.1		06/14/2017 16:59	BLW

**Client Sample ID:** SW Peters Lake **Lab ID:** 1705629-26  
**Matrix:** ENVIRO WATER **Collected:** 06/12/2017 11:30 **Received:** 06/12/2017 15:00

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	<b>0.53</b>	mg/L	0.03		SM4500NOrg		07/03/2017 17:52	GDM
Phosphorus, Total low level	<b>0.011</b>	mg/L	0.001		E365.1		06/20/2017 16:17	GDM
Turbidity	<b>0.49</b>	NTU	0.05		E180.1		06/14/2017 16:59	BLW

**Client Sample ID:** NE Dan Lake **Lab ID:** 1705629-27  
**Matrix:** ENVIRO WATER **Collected:** 06/12/2017 11:35 **Received:** 06/12/2017 15:00

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	<b>0.76</b>	mg/L	0.03		SM4500NOrg		07/03/2017 17:52	GDM
Phosphorus, Total low level	<b>0.020</b>	mg/L	0.001		E365.1		06/20/2017 16:17	GDM
Turbidity	<b>0.52</b>	NTU	0.05		E180.1		06/14/2017 16:59	BLW

**Client Sample ID:** S. Plummers Lake **Lab ID:** 1705629-28  
**Matrix:** ENVIRO WATER **Collected:** 06/12/2017 11:40 **Received:** 06/12/2017 15:00

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	<b>0.56</b>	mg/L	0.03		SM4500NOrg		07/03/2017 17:52	GDM
Phosphorus, Total low level	<b>0.012</b>	mg/L	0.001		E365.1		06/20/2017 16:17	GDM
Turbidity	<b>0.68</b>	NTU	0.05		E180.1		06/14/2017 16:59	BLW



# ANALYTICAL REPORT

Montana Environmental Laboratory LLC  
1170 N. Meridian Rd., P.O. Box 8900, Kalispell, MT 59904-1900  
Phone: 406-755-2131 Fax: 406-257-5359 www.melab.us

Randy Sundberg  
Many Lakes Vacation Village HOA  
P. O. Box 2032  
Bigfork, MT 59911

PWS ID:  
Project:

**Client Sample ID:** SW Plummers Lake **Lab ID:** 1705629-29  
**Matrix:** ENVIRO WATER **Collected:** 06/12/2017 11:45 **Received:** 06/12/2017 15:00

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.65	mg/L	0.03		SM4500NOrg		07/03/2017 17:52	GDM
Phosphorus, Total low level	0.011	mg/L	0.001		E365.1		06/20/2017 16:17	GDM
Turbidity	0.78	NTU	0.05		E180.1		06/14/2017 16:59	BLW

**Client Sample ID:** N. Plummers Lake **Lab ID:** 1705629-30  
**Matrix:** ENVIRO WATER **Collected:** 06/12/2017 11:55 **Received:** 06/12/2017 15:00

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.60	mg/L	0.03		SM4500NOrg		07/03/2017 17:52	GDM
Phosphorus, Total low level	0.012	mg/L	0.001		E365.1		06/20/2017 16:17	GDM
Turbidity	0.77	NTU	0.05		E180.1		06/14/2017 16:59	BLW

**Client Sample ID:** E. Plummers Lake **Lab ID:** 1705629-31  
**Matrix:** ENVIRO WATER **Collected:** 06/12/2017 12:30 **Received:** 06/12/2017 15:00

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.58	mg/L	0.03		SM4500NOrg		07/04/2017 17:24	JC
Phosphorus, Total low level	0.011	mg/L	0.001		E365.1		06/20/2017 16:17	GDM
Turbidity	0.87	NTU	0.05		E180.1		06/14/2017 16:59	BLW

**Client Sample ID:** SE Dan Lake **Lab ID:** 1705629-32  
**Matrix:** ENVIRO WATER **Collected:** 06/12/2017 12:40 **Received:** 06/12/2017 15:00

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.69	mg/L	0.03		SM4500NOrg		07/04/2017 17:24	JC
Phosphorus, Total low level	0.018	mg/L	0.001		E365.1		06/20/2017 16:17	GDM
Turbidity	0.53	NTU	0.05		E180.1		06/14/2017 16:59	BLW





# ANALYTICAL REPORT

Montana Environmental Laboratory LLC  
1170 N. Meridian Rd., P.O. Box 8900, Kalispell, MT 59904-1900  
Phone: 406-755-2131 Fax: 406-257-5359 www.melab.us

Randy Sundberg  
Many Lakes Vacation Village HOA  
P. O. Box 2032  
Bigfork, MT 59911

PWS ID:  
Project:

**Client Sample ID:** W. Tamarack Lake **Lab ID:** 1705629-33  
**Matrix:** ENVIRO WATER **Collected:** 06/12/2017 12:50 **Received:** 06/12/2017 15:00

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.30	mg/L	0.03		SM4500NOrg		07/04/2017 17:24	JC
Phosphorus, Total low level	0.005	mg/L	0.001		E365.1		06/20/2017 16:17	GDM
Turbidity	0.31	NTU	0.05		E180.1		06/14/2017 16:59	BLW

**Client Sample ID:** S. Bass Lake **Lab ID:** 1705629-34  
**Matrix:** ENVIRO WATER **Collected:** 06/12/2017 13:00 **Received:** 06/12/2017 15:00

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.34	mg/L	0.03		SM4500NOrg		07/04/2017 17:24	JC
Phosphorus, Total low level	0.008	mg/L	0.001		E365.1		06/20/2017 16:17	GDM
Turbidity	0.57	NTU	0.05		E180.1		06/14/2017 16:59	BLW

**Client Sample ID:** N. Double Lake **Lab ID:** 1705629-35  
**Matrix:** ENVIRO WATER **Collected:** 06/12/2017 13:05 **Received:** 06/12/2017 15:00

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.47	mg/L	0.03		SM4500NOrg		07/04/2017 17:24	JC
Phosphorus, Total low level	0.007	mg/L	0.001		E365.1		06/20/2017 16:17	GDM
Turbidity	0.39	NTU	0.05		E180.1		06/14/2017 16:59	BLW

**Client Sample ID:** E. Bass Lake **Lab ID:** 1705629-36  
**Matrix:** ENVIRO WATER **Collected:** 06/12/2017 13:10 **Received:** 06/12/2017 15:00

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.44	mg/L	0.03		SM4500NOrg		07/04/2017 17:24	JC
Phosphorus, Total low level	0.006	mg/L	0.001		E365.1		06/20/2017 16:17	GDM
Turbidity	0.36	NTU	0.05		E180.1		06/14/2017 16:59	BLW



# ANALYTICAL REPORT

Montana Environmental Laboratory LLC  
1170 N. Meridian Rd., P.O. Box 8900, Kalispell, MT 59904-1900  
Phone: 406-755-2131 Fax: 406-257-5359 www.melab.us

Randy Sundberg  
Many Lakes Vacation Village HOA  
P. O. Box 2032  
Bigfork, MT 59911

PWS ID:  
Project:

**Client Sample ID:** S. Double Lake **Lab ID:** 1705629-37  
**Matrix:** ENVIRO WATER **Collected:** 06/12/2017 13:15 **Received:** 06/12/2017 15:00

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.49	mg/L	0.03		SM4500NOrg		07/04/2017 17:24	JC
Phosphorus, Total low level	0.019	mg/L	0.001		E365.1		06/20/2017 16:17	GDM
Turbidity	0.37	NTU	0.05		E180.1		06/14/2017 16:59	BLW

**Client Sample ID:** SE Double Lake **Lab ID:** 1705629-38  
**Matrix:** ENVIRO WATER **Collected:** 06/12/2017 13:25 **Received:** 06/12/2017 15:00

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.26	mg/L	0.03		SM4500NOrg		07/04/2017 17:24	JC
Phosphorus, Total low level	0.006	mg/L	0.001		E365.1		06/20/2017 16:17	GDM
Turbidity	0.41	NTU	0.05		E180.1		06/14/2017 16:59	BLW

**Client Sample ID:** W. Meridith Lake **Lab ID:** 1705629-39  
**Matrix:** ENVIRO WATER **Collected:** 06/12/2017 13:30 **Received:** 06/12/2017 15:00

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.41	mg/L	0.03		SM4500NOrg		07/04/2017 17:24	JC
Phosphorus, Total low level	0.010	mg/L	0.001		E365.1		06/20/2017 16:17	GDM
Turbidity	0.45	NTU	0.05		E180.1		06/14/2017 16:59	BLW

**Client Sample ID:** SW Double Lake **Lab ID:** 1705629-40  
**Matrix:** ENVIRO WATER **Collected:** 06/12/2017 13:35 **Received:** 06/12/2017 15:00

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.52	mg/L	0.03		SM4500NOrg		07/04/2017 17:24	JC
Phosphorus, Total low level	0.007	mg/L	0.001		E365.1		06/20/2017 16:17	GDM
Turbidity	0.45	NTU	0.05		E180.1		06/14/2017 16:59	BLW



# ANALYTICAL REPORT

## Montana Environmental Laboratory LLC

1170 N. Meridian Rd., P.O. Box 8900, Kalispell, MT 59904-1900

Phone: 406-755-2131 Fax: 406-257-5359 www.melab.us

Randy Sundberg  
Many Lakes Vacation Village HOA  
P. O. Box 2032  
Bigfork, MT 59911

PWS ID:  
Project:

**Client Sample ID:** Vicky Lake

**Matrix:** ENVIRO WATER

**Collected:** 06/12/2017 13:40

**Lab ID:** 1705629-41

**Received:** 06/12/2017 15:00

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	<b>0.53</b>	mg/L	0.03		SM4500NOrg		07/04/2017 17:24	JC
Phosphorus, Total low level	<b>0.006</b>	mg/L	0.001		E365.1		06/20/2017 16:17	GDM
Turbidity	<b>0.48</b>	NTU	0.05		E180.1		06/14/2017 16:59	BLW