



ANALYTICAL REPORT

Montana Environmental Laboratory LLC

1170 N. Meridian Rd., P.O. Box 8900, Kalispell, MT 59904-1900

Phone: 406-755-2131 Fax: 406-257-5359 www.melab.us

Randy Sundberg
Many Lakes Vacation Village HOA
P. O. Box 2032
Bigfork, MT 59911

PWS ID:
Project:

Client Sample ID: 165 Many Lks Dr.
Matrix: ENVIRO WATER

Collected: 06/25/2019 8:10

Lab ID: 1906416-01
Received: 06/25/2019 14:45

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.76	mg/L	0.01		SM4500NOrg		07/05/2019 12:40	GDM
Phosphorus, Total low level	0.013	mg/L	0.001		E365.1		07/11/2019 16:00	GDM
Turbidity	0.60	NTU	0.05		E180.1		06/26/2019 16:00	BLW

Client Sample ID: 293 N. Many Lks - Left
Matrix: ENVIRO WATER

Collected: 06/25/2019 8:23

Lab ID: 1906416-02
Received: 06/25/2019 14:45

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.67	mg/L	0.01		SM4500NOrg		07/05/2019 12:40	GDM
Phosphorus, Total low level	0.012	mg/L	0.001		E365.1		07/11/2019 16:00	GDM
Turbidity	0.65	NTU	0.05		E180.1		06/26/2019 16:00	BLW

Client Sample ID: 293 N. Many Lks - SW Kathy Lk
Matrix: ENVIRO WATER

Collected: 06/25/2019 8:34

Lab ID: 1906416-03
Received: 06/25/2019 14:45

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.76	mg/L	0.01		SM4500NOrg		07/05/2019 12:40	GDM
Phosphorus, Total low level	0.014	mg/L	0.001		E365.1		07/11/2019 16:00	GDM
Turbidity	0.55	NTU	0.05		E180.1		06/26/2019 16:00	BLW

Client Sample ID: 328 Kathy Lk Ln. - N Kathy Lk
Matrix: ENVIRO WATER

Collected: 06/25/2019 8:45

Lab ID: 1906416-04
Received: 06/25/2019 14:45

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.68	mg/L	0.01		SM4500NOrg		07/05/2019 12:40	GDM
Phosphorus, Total low level	0.010	mg/L	0.001		E365.1		07/11/2019 16:00	GDM
Turbidity	0.65	NTU	0.05		E180.1		06/26/2019 16:00	BLW



ANALYTICAL REPORT

Montana Environmental Laboratory LLC

1170 N. Meridian Rd., P.O. Box 8900, Kalispell, MT 59904-1900
Phone: 406-755-2131 Fax: 406-257-5359 www.melab.us

Randy Sundberg
Many Lakes Vacation Village HOA
P. O. Box 2032
Bigfork, MT 59911

PWS ID:
Project:

Client Sample ID: 332 Kathy Lk Ln. - Small Pond

Lab ID: 1906416-05

Matrix: ENVIRO WATER

Collected: 06/25/2019 8:50

Received: 06/25/2019 14:45

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.78	mg/L	0.01		SM4500NOrg		07/05/2019 12:40	GDM
Phosphorus, Total low level	0.017	mg/L	0.001		E365.1		07/11/2019 16:00	GDM
Turbidity	0.65	NTU	0.05		E180.1		06/26/2019 16:00	BLW

Client Sample ID: 332 Kathy Lk Ln. - Amy Lake

Lab ID: 1906416-06

Matrix: ENVIRO WATER

Collected: 06/25/2019 8:53

Received: 06/25/2019 14:45

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.85	mg/L	0.01		SM4500NOrg		07/05/2019 12:40	GDM
Phosphorus, Total low level	0.014	mg/L	0.001		E365.1		07/11/2019 16:00	GDM
Turbidity	0.70	NTU	0.05		E180.1		06/26/2019 16:00	BLW

Client Sample ID: 113 Horseshoe Dr. - Cree Lk

Lab ID: 1906416-07

Matrix: ENVIRO WATER

Collected: 06/25/2019 9:10

Received: 06/25/2019 14:45

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.58	mg/L	0.01		SM4500NOrg		07/05/2019 12:40	GDM
Phosphorus, Total low level	0.012	mg/L	0.001		E365.1		07/11/2019 16:00	GDM
Turbidity	1.00	NTU	0.05		E180.1		06/26/2019 16:00	BLW

Client Sample ID: 136 Horseshoe Dr. - John Lk


Lab ID: 1906416-08

Matrix: ENVIRO WATER

Collected: 06/25/2019 9:20

Received: 06/25/2019 14:45

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.71	mg/L	0.01		SM4500NOrg		07/05/2019 12:40	GDM
Phosphorus, Total low level	0.012	mg/L	0.001		E365.1		07/11/2019 16:00	GDM
Turbidity	0.50	NTU	0.05		E180.1		06/26/2019 16:00	BLW



ANALYTICAL REPORT

Montana Environmental Laboratory LLC

1170 N. Meridian Rd., P.O. Box 8900, Kalispell, MT 59904-1900

Phone: 406-755-2131 Fax: 406-257-5359 www.melab.us

Randy Sundberg
Many Lakes Vacation Village HOA
P. O. Box 2032
Bigfork, MT 59911

PWS ID:
Project:

Client Sample ID: 108 Horseshoe Dr. - NE Swimming Lk **Lab ID:** 1906416-09
Matrix: ENVIRO WATER **Collected:** 06/25/2019 9:30 **Received:** 06/25/2019 14:45

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.49	mg/L	0.01		SM4500NOrg		07/05/2019 12:40	GDM
Phosphorus, Total low level	0.009	mg/L	0.001		E365.1		07/11/2019 16:00	GDM
Turbidity	0.40	NTU	0.05		E180.1		06/26/2019 16:00	BLW

Client Sample ID: 112 Swimming Lk Ct. **Lab ID:** 1906416-10
Matrix: ENVIRO WATER **Collected:** 06/25/2019 9:40 **Received:** 06/25/2019 14:45


<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.48	mg/L	0.01		SM4500NOrg		07/05/2019 12:40	GDM
Phosphorus, Total low level	0.006	mg/L	0.001		E365.1		07/11/2019 16:00	GDM
Turbidity	0.40	NTU	0.05		E180.1		06/26/2019 16:00	BLW

Client Sample ID: 340 Cathy Lk W. - Ann Lk **Lab ID:** 1906416-11
Matrix: ENVIRO WATER **Collected:** 06/25/2019 9:40 **Received:** 06/25/2019 14:45

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.69	mg/L	0.01		SM4500NOrg		07/12/2019 11:07	GDM
Phosphorus, Total low level	0.019	mg/L	0.001		E365.1		07/11/2019 16:00	GDM
Turbidity	0.50	NTU	0.05		E180.1		06/26/2019 16:00	BLW

Client Sample ID: 115 Swimming Lk - Gilbert Lk **Lab ID:** 1906416-12
Matrix: ENVIRO WATER **Collected:** 06/25/2019 9:45 **Received:** 06/25/2019 14:45

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.42	mg/L	0.01		SM4500NOrg		07/12/2019 11:07	GDM
Phosphorus, Total low level	0.011	mg/L	0.001		E365.1		07/11/2019 16:00	GDM
Turbidity	0.45	NTU	0.05		E180.1		06/26/2019 16:00	BLW



ANALYTICAL REPORT

Montana Environmental Laboratory LLC

1170 N. Meridian Rd., P.O. Box 8900, Kalispell, MT 59904-1900
Phone: 406-755-2131 Fax: 406-257-5359 www.melab.us

Randy Sundberg
Many Lakes Vacation Village HOA
P. O. Box 2032
Bigfork, MT 59911

PWS ID:
Project:

Client Sample ID: 115 Swimming Lk - Jake Lk

Lab ID: 1906416-13

Matrix: ENVIRO WATER

Collected: 06/25/2019 9:47

Received: 06/25/2019 14:45

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.57	mg/L	0.01		SM4500NOrg		07/12/2019 11:07	GDM
Phosphorus, Total low level	0.007	mg/L	0.001		E365.1		07/11/2019 16:00	GDM
Turbidity	0.50	NTU	0.05		E180.1		06/26/2019 16:00	BLW

Client Sample ID: 334 N. Many Lks - E. Gilbert Lk

Lab ID: 1906416-14

Matrix: ENVIRO WATER

Collected: 06/25/2019 9:55

Received: 06/25/2019 14:45

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.43	mg/L	0.01		SM4500NOrg		07/12/2019 11:07	GDM
Phosphorus, Total low level	0.005	mg/L	0.001		E365.1		07/11/2019 16:00	GDM
Turbidity	0.40	NTU	0.05		E180.1		06/26/2019 16:00	BLW

Client Sample ID: 366 Lk Loop Dr. - Kidd Lk

Lab ID: 1906416-15

Matrix: ENVIRO WATER

Collected: 06/25/2019 10:05

Received: 06/25/2019 14:45

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.71	mg/L	0.01		SM4500NOrg		07/12/2019 11:07	GDM
Phosphorus, Total low level	0.019	mg/L	0.001		E365.1		07/11/2019 16:00	GDM
Turbidity	0.65	NTU	0.05		E180.1		06/26/2019 16:00	BLW

Client Sample ID: Harbin Lk


Lab ID: 1906416-16

Matrix: ENVIRO WATER

Collected: 06/25/2019 10:15

Received: 06/25/2019 14:45

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.42	mg/L	0.01		SM4500NOrg		07/12/2019 11:07	GDM
Phosphorus, Total low level	0.009	mg/L	0.001		E365.1		07/11/2019 16:00	GDM
Turbidity	0.50	NTU	0.05		E180.1		06/26/2019 16:00	BLW



ANALYTICAL REPORT

Montana Environmental Laboratory LLC
1170 N. Meridian Rd., P.O. Box 8900, Kalispell, MT 59904-1900
Phone: 406-755-2131 Fax: 406-257-5359 www.melab.us

Randy Sundberg
Many Lakes Vacation Village HOA
P. O. Box 2032
Bigfork, MT 59911

PWS ID:
Project:

Client Sample ID: Love Lk - 539 Rolling Ridge

Lab ID: 1906416-17

Matrix: ENVIRO WATER

Collected: 06/25/2019 10:20

Received: 06/25/2019 14:45

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.45	mg/L	0.01		SM4500NOrg		07/12/2019 11:07	GDM
Phosphorus, Total low level	0.009	mg/L	0.001		E365.1		07/11/2019 16:00	GDM
Turbidity	0.65	NTU	0.05		E180.1		06/26/2019 16:00	BLW

Client Sample ID: 436 Lake Loop Dr. - E. Ann Lk

Lab ID: 1906416-18

Matrix: ENVIRO WATER

Collected: 06/25/2019 10:30

Received: 06/25/2019 14:45

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.69	mg/L	0.01		SM4500NOrg		07/12/2019 11:07	GDM
Phosphorus, Total low level	0.009	mg/L	0.001		E365.1		07/11/2019 16:00	GDM
Turbidity	0.60	NTU	0.05		E180.1		06/26/2019 16:00	BLW

Client Sample ID: 452 Lake Loop Dr.

Lab ID: 1906416-19

Matrix: ENVIRO WATER

Collected: 06/25/2019 10:37

Received: 06/25/2019 14:45

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.77	mg/L	0.01		SM4500NOrg		07/12/2019 11:07	GDM
Phosphorus, Total low level	0.024	mg/L	0.001		E365.1		07/11/2019 16:00	GDM
Turbidity	0.90	NTU	0.05		E180.1		06/26/2019 16:00	BLW

Client Sample ID: 290 N. Many Lks N. Douglas


Lab ID: 1906416-20

Matrix: ENVIRO WATER

Collected: 06/25/2019 10:45

Received: 06/25/2019 14:45

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.98	mg/L	0.01		SM4500NOrg		07/12/2019 11:07	GDM
Phosphorus, Total low level	0.016	mg/L	0.001		E365.1		07/11/2019 16:00	GDM
Turbidity	0.80	NTU	0.05		E180.1		06/26/2019 16:00	BLW



ANALYTICAL REPORT

Montana Environmental Laboratory LLC

1170 N. Meridian Rd., P.O. Box 8900, Kalispell, MT 59904-1900

Phone: 406-755-2131 Fax: 406-257-5359 www.melab.us

Randy Sundberg
Many Lakes Vacation Village HOA
P. O. Box 2032
Bigfork, MT 59911

PWS ID:
Project:

Client Sample ID: 64 Lake Peter - E. Peter Lk **Lab ID:** 1906416-21
Matrix: ENVIRO WATER **Collected:** 06/25/2019 10:50 **Received:** 06/25/2019 14:45

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.63	mg/L	0.01		SM4500NOrg		07/12/2019 11:07	GDM
Phosphorus, Total low level	0.011	mg/L	0.001		E365.1		07/11/2019 16:00	GDM
Turbidity	0.60	NTU	0.05		E180.1		06/26/2019 16:00	BLW

Client Sample ID: 64 Lake Peter - Douglas Lk **Lab ID:** 1906416-22
Matrix: ENVIRO WATER **Collected:** 06/25/2019 10:51 **Received:** 06/25/2019 14:45


<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	1.02	mg/L	0.01		SM4500NOrg		07/12/2019 11:07	GDM
Phosphorus, Total low level	0.019	mg/L	0.001		E365.1		07/11/2019 16:00	GDM
Turbidity	1.30	NTU	0.05		E180.1		06/26/2019 16:00	BLW

Client Sample ID: 210 Many Lks - Lk Peter **Lab ID:** 1906416-23
Matrix: ENVIRO WATER **Collected:** 06/25/2019 11:00 **Received:** 06/25/2019 14:45

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.60	mg/L	0.01		SM4500NOrg		07/12/2019 11:07	GDM
Phosphorus, Total low level	0.007	mg/L	0.001		E365.1		07/11/2019 16:00	GDM
Turbidity	0.45	NTU	0.05		E180.1		06/26/2019 16:00	BLW

Client Sample ID: 63 Dan Lk - SW Dan Lk **Lab ID:** 1906416-24
Matrix: ENVIRO WATER **Collected:** 06/25/2019 11:02 **Received:** 06/25/2019 14:45

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	1.15	mg/L	0.01		SM4500NOrg		07/12/2019 11:07	GDM
Phosphorus, Total low level	0.022	mg/L	0.001		E365.1		07/11/2019 16:00	GDM
Turbidity	1.00	NTU	0.05		E180.1		06/26/2019 16:00	BLW



ANALYTICAL REPORT

Montana Environmental Laboratory LLC

1170 N. Meridian Rd., P.O. Box 8900, Kalispell, MT 59904-1900
Phone: 406-755-2131 Fax: 406-257-5359 www.melab.us

Randy Sundberg
Many Lakes Vacation Village HOA
P. O. Box 2032
Bigfork, MT 59911

PWS ID:
Project:

Client Sample ID: 35 Dan Lk - Honeycutt Lk **Lab ID:** 1906416-25
Matrix: ENVIRO WATER **Collected:** 06/25/2019 11:06 **Received:** 06/25/2019 14:45

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	1.21	mg/L	0.01		SM4500NOrg		07/12/2019 11:07	GDM
Phosphorus, Total low level	0.033	mg/L	0.001		E365.1		07/11/2019 16:00	GDM
Turbidity	0.95	NTU	0.05		E180.1		06/26/2019 16:00	BLW

Client Sample ID: 193 Plummers - NE Plummers **Lab ID:** 1906416-26
Matrix: ENVIRO WATER **Collected:** 06/25/2019 11:18 **Received:** 06/25/2019 14:45


<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	1.26	mg/L	0.01		SM4500NOrg		07/12/2019 11:07	GDM
Phosphorus, Total low level	0.068	mg/L	0.001		E365.1		07/11/2019 16:00	GDM
Turbidity	2.50	NTU	0.05		E180.1		06/26/2019 16:00	BLW

Client Sample ID: 15 Plummers **Lab ID:** 1906416-27
Matrix: ENVIRO WATER **Collected:** 06/25/2019 11:20 **Received:** 06/25/2019 14:45

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	1.12	mg/L	0.01		SM4500NOrg		07/12/2019 11:07	GDM
Phosphorus, Total low level	0.028	mg/L	0.001		E365.1		07/11/2019 16:00	GDM
Turbidity	0.90	NTU	0.05		E180.1		06/26/2019 16:00	BLW

Client Sample ID: Tamarack Lk Park **Lab ID:** 1906416-28
Matrix: ENVIRO WATER **Collected:** 06/25/2019 11:30 **Received:** 06/25/2019 14:45

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.38	mg/L	0.01		SM4500NOrg		07/12/2019 11:07	GDM
Phosphorus, Total low level	0.006	mg/L	0.001		E365.1		07/11/2019 16:00	GDM
Turbidity	0.40	NTU	0.05		E180.1		06/26/2019 16:00	BLW



ANALYTICAL REPORT

Montana Environmental Laboratory LLC
1170 N. Meridian Rd., P.O. Box 8900, Kalispell, MT 59904-1900
Phone: 406-755-2131 Fax: 406-257-5359 www.melab.us

Randy Sundberg
Many Lakes Vacation Village HOA
P. O. Box 2032
Bigfork, MT 59911

PWS ID:
Project:

Client Sample ID: 100 Tamarack **Lab ID:** 1906416-29
Matrix: ENVIRO WATER **Collected:** 06/25/2019 11:33 **Received:** 06/25/2019 14:45

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.38	mg/L	0.01		SM4500NOrg		07/12/2019 11:07	GDM
Phosphorus, Total low level	0.006	mg/L	0.001		E365.1		07/11/2019 16:00	GDM
Turbidity	0.35	NTU	0.05		E180.1		06/26/2019 16:00	BLW

Client Sample ID: 137 Tamarack - E. Bass **Lab ID:** 1906416-30
Matrix: ENVIRO WATER **Collected:** 06/25/2019 11:42 **Received:** 06/25/2019 14:45


<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.40	mg/L	0.01		SM4500NOrg		07/12/2019 11:07	GDM
Phosphorus, Total low level	0.010	mg/L	0.001		E365.1		07/11/2019 16:00	GDM
Turbidity	0.80	NTU	0.05		E180.1		06/26/2019 16:00	BLW

Client Sample ID: 62 Bass Lk - S. Bass **Lab ID:** 1906416-31
Matrix: ENVIRO WATER **Collected:** 06/25/2019 11:45 **Received:** 06/25/2019 14:45

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.09	mg/L	0.01		SM4500NOrg		07/12/2019 11:07	GDM
Phosphorus, Total low level	0.005	mg/L	0.001		E365.1		07/11/2019 16:00	GDM
Turbidity	0.45	NTU	0.05		E180.1		06/26/2019 16:00	BLW

Client Sample ID: 57 Bass Lk - N. Double Lk **Lab ID:** 1906416-32
Matrix: ENVIRO WATER **Collected:** 06/25/2019 12:00 **Received:** 06/25/2019 14:45

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.43	mg/L	0.01		SM4500NOrg		07/12/2019 11:07	GDM
Phosphorus, Total low level	0.008	mg/L	0.001		E365.1		07/11/2019 16:00	GDM
Turbidity	1.10	NTU	0.05		E180.1		06/26/2019 16:00	BLW



ANALYTICAL REPORT

Montana Environmental Laboratory LLC
1170 N. Meridian Rd., P.O. Box 8900, Kalispell, MT 59904-1900
Phone: 406-755-2131 Fax: 406-257-5359 www.melab.us

Randy Sundberg
Many Lakes Vacation Village HOA
P. O. Box 2032
Bigfork, MT 59911

PWS ID:
Project:

Client Sample ID: SE Bass Lk **Lab ID:** 1906416-33
Matrix: ENVIRO WATER **Collected:** 06/25/2019 12:05 **Received:** 06/25/2019 14:45

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.49	mg/L	0.01		SM4500NOrg		07/12/2019 11:07	GDM
Phosphorus, Total low level	0.008	mg/L	0.001		E365.1		07/11/2019 16:00	GDM
Turbidity	0.50	NTU	0.05		E180.1		06/26/2019 16:00	BLW

Client Sample ID: 33 Double Lk - E. Double Lk **Lab ID:** 1906416-34
Matrix: ENVIRO WATER **Collected:** 06/25/2019 12:10 **Received:** 06/25/2019 14:45


<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.41	mg/L	0.01		SM4500NOrg		07/12/2019 11:07	GDM
Phosphorus, Total low level	0.007	mg/L	0.001		E365.1		07/11/2019 16:00	GDM
Turbidity	0.60	NTU	0.05		E180.1		06/26/2019 16:00	BLW

Client Sample ID: 27 Double Lk - SE Double Lk **Lab ID:** 1906416-35
Matrix: ENVIRO WATER **Collected:** 06/25/2019 12:15 **Received:** 06/25/2019 14:45

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	1.06	mg/L	0.01		SM4500NOrg		07/12/2019 11:07	GDM
Phosphorus, Total low level	0.027	mg/L	0.001		E365.1		07/11/2019 16:00	GDM
Turbidity	4.00	NTU	0.05		E180.1		06/26/2019 16:00	BLW

Client Sample ID: Lk Meredith Park **Lab ID:** 1906416-36
Matrix: ENVIRO WATER **Collected:** 06/25/2019 12:45 **Received:** 06/25/2019 14:45

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.76	mg/L	0.01		SM4500NOrg		07/12/2019 11:07	GDM
Phosphorus, Total low level	0.013	mg/L	0.001		E365.1		07/11/2019 16:00	GDM
Turbidity	0.70	NTU	0.05		E180.1		06/26/2019 16:00	BLW



ANALYTICAL REPORT

Montana Environmental Laboratory LLC

1170 N. Meridian Rd., P.O. Box 8900, Kalispell, MT 59904-1900
Phone: 406-755-2131 Fax: 406-257-5359 www.melab.us

Randy Sundberg
Many Lakes Vacation Village HOA
P. O. Box 2032
Bigfork, MT 59911

PWS ID:
Project:

Client Sample ID: 199 Double Lk - S. Double Lk **Lab ID:** 1906416-37
Matrix: ENVIRO WATER **Collected:** 06/25/2019 12:55 **Received:** 06/25/2019 14:45

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.42	mg/L	0.01		SM4500NOrg		07/12/2019 11:07	GDM
Phosphorus, Total low level	0.008	mg/L	0.001		E365.1		07/11/2019 16:00	GDM
Turbidity	0.45	NTU	0.05		E180.1		06/26/2019 16:00	BLW

Client Sample ID: 198 Double Lk - N. Vicki Lk **Lab ID:** 1906416-38
Matrix: ENVIRO WATER **Collected:** 06/25/2019 13:00 **Received:** 06/25/2019 14:45

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.48	mg/L	0.01		SM4500NOrg		07/12/2019 11:07	GDM
Phosphorus, Total low level	0.006	mg/L	0.001		E365.1		07/11/2019 16:00	GDM
Turbidity	0.40	NTU	0.05		E180.1		06/26/2019 16:00	BLW

Client Sample ID: 411 S Many Lks - W. Vicki **Lab ID:** 1906416-39
Matrix: ENVIRO WATER **Collected:** 06/25/2019 13:06 **Received:** 06/25/2019 14:45

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.50	mg/L	0.01		SM4500NOrg		07/12/2019 11:07	GDM
Phosphorus, Total low level	0.006	mg/L	0.001		E365.1		07/11/2019 16:00	GDM
Turbidity	0.40	NTU	0.05		E180.1		06/26/2019 16:00	BLW