

ANALYTICAL REPORT

Montana Environmental Laboratory LLC

1170 N. Meridian Rd., P.O. Box 8900, Kalispell, MT 59904-1900
Phone: 406-755-2131 Fax: 406-257-5359 www.melab.us

Randy Sundberg
Many Lakes Vacation Village HOA
P.O. Box 2032
Bigfork, MT 59911

PWS ID:
Project:

Client Sample ID: North of Kid Lk. **Lab ID:** 2006755-01
Matrix: ENVIRO WATER **Collected:** 07/06/2020 8:50 **Received:** 07/06/2020 14:15

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.78	mg/L	0.01		SM4500NOrg		07/17/2020 16:14	GDM
Phosphorus, Total low level	0.035	mg/L	0.001		E365.1		07/09/2020 13:46	GDM
Turbidity	0.55	NTU	0.05		E180.1		07/06/2020 16:30	BLW

Client Sample ID: Kid Lk. North **Lab ID:** 2006755-02
Matrix: ENVIRO WATER **Collected:** 07/06/2020 8:53 **Received:** 07/06/2020 14:15


<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.58	mg/L	0.01		SM4500NOrg		07/17/2020 16:14	GDM
Phosphorus, Total low level	0.009	mg/L	0.001		E365.1		07/09/2020 13:46	GDM
Turbidity	0.55	NTU	0.05		E180.1		07/06/2020 16:30	BLW

Client Sample ID: John Lk. West **Lab ID:** 2006755-03
Matrix: ENVIRO WATER **Collected:** 07/06/2020 8:10 **Received:** 07/06/2020 14:15

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.64	mg/L	0.01		SM4500NOrg		07/17/2020 16:14	GDM
Phosphorus, Total low level	0.011	mg/L	0.001		E365.1		07/09/2020 13:46	GDM
Turbidity	0.55	NTU	0.05		E180.1		07/06/2020 16:30	BLW

Client Sample ID: John Lk. East **Lab ID:** 2006755-04
Matrix: ENVIRO WATER **Collected:** 07/06/2020 **Received:** 07/06/2020 14:15

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.62	mg/L	0.01		SM4500NOrg		07/17/2020 16:14	GDM
Phosphorus, Total low level	0.011	mg/L	0.001		E365.1		07/09/2020 13:46	GDM
Turbidity	0.41	NTU	0.05		E180.1		07/06/2020 16:30	BLW



ANALYTICAL REPORT

Montana Environmental Laboratory LLC

1170 N. Meridian Rd., P.O. Box 8900, Kalispell, MT 59904-1900
Phone: 406-755-2131 Fax: 406-257-5359 www.melab.us

Randy Sundberg
Many Lakes Vacation Village HOA
P.O. Box 2032
Bigfork, MT 59911

PWS ID:
Project:

Client Sample ID: Cree Lk. West **Lab ID:** 2006755-05
Matrix: ENVIRO WATER **Collected:** 07/06/2020 8:26 **Received:** 07/06/2020 14:15

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.66	mg/L	0.01		SM4500NOrg		07/17/2020 16:14	GDM
Phosphorus, Total low level	0.014	mg/L	0.001		E365.1		07/09/2020 13:46	GDM
Turbidity	1.30	NTU	0.05		E180.1		07/06/2020 16:30	BLW

Client Sample ID: Swimming Lk. NE **Lab ID:** 2006755-06
Matrix: ENVIRO WATER **Collected:** 07/06/2020 8:30 **Received:** 07/06/2020 14:15


<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.53	mg/L	0.01		SM4500NOrg		07/17/2020 16:14	GDM
Phosphorus, Total low level	0.006	mg/L	0.001		E365.1		07/09/2020 13:46	GDM
Turbidity	0.50	NTU	0.05		E180.1		07/06/2020 16:30	BLW

Client Sample ID: Swimming Lk. SE **Lab ID:** 2006755-07
Matrix: ENVIRO WATER **Collected:** 07/06/2020 8:33 **Received:** 07/06/2020 14:15

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.59	mg/L	0.01		SM4500NOrg		07/17/2020 16:14	GDM
Phosphorus, Total low level	0.006	mg/L	0.001		E365.1		07/09/2020 13:46	GDM
Turbidity	0.50	NTU	0.05		E180.1		07/06/2020 16:30	BLW

Client Sample ID: Gilbert Lk. West **Lab ID:** 2006755-08
Matrix: ENVIRO WATER **Collected:** 07/06/2020 8:38 **Received:** 07/06/2020 14:15

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.48	mg/L	0.01		SM4500NOrg		07/17/2020 16:14	GDM
Phosphorus, Total low level	0.006	mg/L	0.001		E365.1		07/09/2020 13:46	GDM
Turbidity	0.40	NTU	0.05		E180.1		07/06/2020 16:30	BLW



ANALYTICAL REPORT

Montana Environmental Laboratory LLC

1170 N. Meridian Rd., P.O. Box 8900, Kalispell, MT 59904-1900

Phone: 406-755-2131 Fax: 406-257-5359 www.melab.us

Randy Sundberg
Many Lakes Vacation Village HOA
P.O. Box 2032
Bigfork, MT 59911

PWS ID:
Project:

Client Sample ID: Jake Lk. East

Matrix: ENVIRO WATER

Collected: 07/06/2020 8:40

Lab ID: 2006755-09

Received: 07/06/2020 14:15

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.33	mg/L	0.01		SM4500NOrg		07/17/2020 16:14	GDM
Phosphorus, Total low level	0.009	mg/L	0.001		E365.1		07/09/2020 13:46	GDM
Turbidity	0.35	NTU	0.05		E180.1		07/06/2020 16:30	BLW

Client Sample ID: Harbin Lk.

Matrix: ENVIRO WATER

Collected: 07/06/2020 9:05

Lab ID: 2006755-10

Received: 07/06/2020 14:15

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.30	mg/L	0.01		SM4500NOrg		07/17/2020 16:14	GDM
Phosphorus, Total low level	0.007	mg/L	0.001		E365.1		07/09/2020 13:46	GDM
Turbidity	0.40	NTU	0.05		E180.1		07/06/2020 16:30	BLW

Client Sample ID: Harbin Lk. North

Matrix: ENVIRO WATER

Collected: 07/06/2020 9:15

Lab ID: 2006755-11

Received: 07/06/2020 14:15

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.30	mg/L	0.01		SM4500NOrg		07/17/2020 16:14	GDM
Phosphorus, Total low level	0.007	mg/L	0.001		E365.1		07/09/2020 13:46	GDM
Turbidity	0.40	NTU	0.05		E180.1		07/06/2020 16:30	BLW

Client Sample ID: Love Lk. East


Matrix: ENVIRO WATER

Collected: 07/06/2020 9:25

Lab ID: 2006755-12

Received: 07/06/2020 14:15

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.36	mg/L	0.01		SM4500NOrg		07/17/2020 16:14	GDM
Phosphorus, Total low level	0.010	mg/L	0.001		E365.1		07/09/2020 13:46	GDM
Turbidity	0.50	NTU	0.05		E180.1		07/06/2020 16:30	BLW



ANALYTICAL REPORT

Montana Environmental Laboratory LLC

1170 N. Meridian Rd., P.O. Box 8900, Kalispell, MT 59904-1900
 Phone: 406-755-2131 Fax: 406-257-5359 www.melab.us

Randy Sundberg
 Many Lakes Vacation Village HOA
 P.O. Box 2032
 Bigfork, MT 59911

PWS ID:
 Project:

Client Sample ID: Ann Lk. West
Matrix: ENVIRO WATER

Collected: 07/06/2020 9:35

Lab ID: 2006755-13
Received: 07/06/2020 14:15

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	1.09	mg/L	0.01		SM4500NOrg		07/17/2020 16:14	GDM
Phosphorus, Total low level	0.014	mg/L	0.001		E365.1		07/09/2020 13:46	GDM
Turbidity	1.68	NTU	0.05		E180.1		07/06/2020 16:30	BLW

Client Sample ID: Amy Lk. SW
Matrix: ENVIRO WATER

Collected: 07/06/2020 9:35

Lab ID: 2006755-14
Received: 07/06/2020 14:15

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.78	mg/L	0.01		SM4500NOrg		07/17/2020 16:14	GDM
Phosphorus, Total low level	0.020	mg/L	0.001		E365.1		07/09/2020 13:46	GDM
Turbidity	0.74	NTU	0.05		E180.1		07/06/2020 16:30	BLW

Client Sample ID: Kathy Lk. NE
Matrix: ENVIRO WATER

Collected: 07/06/2020 9:38

Lab ID: 2006755-15
Received: 07/06/2020 14:15


<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.78	mg/L	0.01		SM4500NOrg		07/17/2020 16:14	GDM
Phosphorus, Total low level	0.014	mg/L	0.001		E365.1		07/09/2020 13:46	GDM
Turbidity	0.80	NTU	0.05		E180.1		07/06/2020 16:30	BLW

Client Sample ID: Kathy Lk. South
Matrix: ENVIRO WATER

Collected: 07/06/2020 9:40

Lab ID: 2006755-16
Received: 07/06/2020 14:15

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.82	mg/L	0.01		SM4500NOrg		07/17/2020 16:14	GDM
Phosphorus, Total low level	0.014	mg/L	0.001		E365.1		07/09/2020 13:46	GDM
Turbidity	0.67	NTU	0.05		E180.1		07/06/2020 16:30	BLW



ANALYTICAL REPORT

Montana Environmental Laboratory LLC

1170 N. Meridian Rd., P.O. Box 8900, Kalispell, MT 59904-1900
Phone: 406-755-2131 Fax: 406-257-5359 www.melab.us

Randy Sundberg
Many Lakes Vacation Village HOA
P.O. Box 2032
Bigfork, MT 59911

PWS ID:
Project:

Client Sample ID: Lake Douglas NE
Matrix: ENVIRO WATER

Collected: 07/06/2020 9:50

Lab ID: 2006755-17
Received: 07/06/2020 14:15

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	1.60	mg/L	0.01		SM4500NOrg		07/17/2020 16:14	GDM
Phosphorus, Total low level	0.013	mg/L	0.001		E365.1		07/09/2020 13:46	GDM
Turbidity	1.20	NTU	0.05		E180.1		07/06/2020 16:30	BLW

Client Sample ID: Lake Douglas SW
Matrix: ENVIRO WATER

Collected: 07/06/2020

Lab ID: 2006755-18
Received: 07/06/2020 14:15

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	1.32	mg/L	0.01		SM4500NOrg		07/17/2020 16:14	GDM
Phosphorus, Total low level	0.016	mg/L	0.001		E365.1		07/09/2020 13:46	GDM
Turbidity	1.16	NTU	0.05		E180.1		07/06/2020 16:30	BLW

Client Sample ID: Tamarack Lk. NE
Matrix: ENVIRO WATER

Collected: 07/06/2020

Lab ID: 2006755-19
Received: 07/06/2020 14:15


<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.40	mg/L	0.01		SM4500NOrg		07/17/2020 16:14	GDM
Phosphorus, Total low level	0.006	mg/L	0.001		E365.1		07/09/2020 13:46	GDM
Turbidity	0.80	NTU	0.05		E180.1		07/06/2020 16:30	BLW

Client Sample ID: Tamarack Lk. SW
Matrix: ENVIRO WATER

Collected: 07/06/2020 11:20

Lab ID: 2006755-20
Received: 07/06/2020 14:15

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.42	mg/L	0.01		SM4500NOrg		07/17/2020 16:14	GDM
Phosphorus, Total low level	0.006	mg/L	0.001		E365.1		07/09/2020 13:46	GDM
Turbidity	0.70	NTU	0.05		E180.1		07/06/2020 16:30	BLW



ANALYTICAL REPORT

Montana Environmental Laboratory LLC

1170 N. Meridian Rd., P.O. Box 8900, Kalispell, MT 59904-1900
Phone: 406-755-2131 Fax: 406-257-5359 www.melab.us

Randy Sundberg
Many Lakes Vacation Village HOA
P.O. Box 2032
Bigfork, MT 59911

PWS ID:
Project:

Client Sample ID: Bass Lk. SE **Lab ID:** 2006755-21
Matrix: ENVIRO WATER **Collected:** 07/06/2020 11:30 **Received:** 07/06/2020 14:15

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.79	mg/L	0.01		SM4500NOrg		07/21/2020 16:29	GDM
Phosphorus, Total low level	0.011	mg/L	0.001		E365.1		07/16/2020 8:48	GDM
Turbidity	1.10	NTU	0.05		E180.1		07/06/2020 16:30	BLW

Client Sample ID: Dan Lk. NE **Lab ID:** 2006755-22
Matrix: ENVIRO WATER **Collected:** 07/06/2020 10:41 **Received:** 07/06/2020 14:15


<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	2.89	mg/L	0.01		SM4500NOrg		07/21/2020 16:29	GDM
Phosphorus, Total low level	0.046	mg/L	0.001		E365.1		07/16/2020 8:48	GDM
Turbidity	0.85	NTU	0.05		E180.1		07/06/2020 16:30	BLW

Client Sample ID: Dan Lk. SE **Lab ID:** 2006755-23
Matrix: ENVIRO WATER **Collected:** 07/06/2020 10:50 **Received:** 07/06/2020 14:15

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	2.59	mg/L	0.01		SM4500NOrg		07/21/2020 16:29	GDM
Phosphorus, Total low level	0.030	mg/L	0.001		E365.1		07/16/2020 8:48	GDM
Turbidity	0.80	NTU	0.05		E180.1		07/06/2020 16:30	BLW

Client Sample ID: Dan Lk. SW **Lab ID:** 2006755-24
Matrix: ENVIRO WATER **Collected:** 07/06/2020 10:58 **Received:** 07/06/2020 14:15

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	2.69	mg/L	0.01		SM4500NOrg		07/21/2020 16:29	GDM
Phosphorus, Total low level	0.032	mg/L	0.001		E365.1		07/16/2020 8:48	GDM
Turbidity	1.00	NTU	0.05		E180.1		07/06/2020 16:30	BLW



ANALYTICAL REPORT

Montana Environmental Laboratory LLC

1170 N. Meridian Rd., P.O. Box 8900, Kalispell, MT 59904-1900
Phone: 406-755-2131 Fax: 406-257-5359 www.melab.us

Randy Sundberg
Many Lakes Vacation Village HOA
P.O. Box 2032
Bigfork, MT 59911

PWS ID:
Project:

Client Sample ID: Hunny Cut Lk. NE **Lab ID:** 2006755-25
Matrix: ENVIRO WATER **Collected:** 07/06/2020 11:00 **Received:** 07/06/2020 14:15

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	2.22	mg/L	0.01		SM4500NOrg		07/21/2020 16:29	GDM
Phosphorus, Total low level	0.038	mg/L	0.001		E365.1		07/16/2020 8:48	GDM
Turbidity	0.75	NTU	0.05		E180.1		07/06/2020 16:30	BLW

Client Sample ID: Lake Peter NE **Lab ID:** 2006755-26
Matrix: ENVIRO WATER **Collected:** 07/06/2020 **Received:** 07/06/2020 14:15


<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	1.02	mg/L	0.01		SM4500NOrg		07/21/2020 16:29	GDM
Phosphorus, Total low level	0.013	mg/L	0.001		E365.1		07/16/2020 8:48	GDM
Turbidity	1.60	NTU	0.05		E180.1		07/06/2020 16:30	BLW

Client Sample ID: Lake Peter SW **Lab ID:** 2006755-27
Matrix: ENVIRO WATER **Collected:** 07/06/2020 11:06 **Received:** 07/06/2020 14:15

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	1.09	mg/L	0.01		SM4500NOrg		07/21/2020 16:29	GDM
Phosphorus, Total low level	0.016	mg/L	0.001		E365.1		07/16/2020 8:48	GDM
Turbidity	1.60	NTU	0.05		E180.1		07/06/2020 16:30	BLW

Client Sample ID: Plummers Lk. North **Lab ID:** 2006755-28
Matrix: ENVIRO WATER **Collected:** 07/06/2020 10:30 **Received:** 07/06/2020 14:15

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	1.06	mg/L	0.01		SM4500NOrg		07/21/2020 16:29	GDM
Phosphorus, Total low level	0.017	mg/L	0.001		E365.1		07/16/2020 8:48	GDM
Turbidity	1.40	NTU	0.05		E180.1		07/06/2020 16:30	BLW



ANALYTICAL REPORT

Montana Environmental Laboratory LLC
1170 N. Meridian Rd., P.O. Box 8900, Kalispell, MT 59904-1900
Phone: 406-755-2131 Fax: 406-257-5359 www.melab.us

Randy Sundberg
Many Lakes Vacation Village HOA
P.O. Box 2032
Bigfork, MT 59911

PWS ID:
Project:

Client Sample ID: Plummers Lk. NE
Matrix: ENVIRO WATER

Collected: 07/06/2020 10:18

Lab ID: 2006755-29
Received: 07/06/2020 14:15

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	1.12	mg/L	0.01		SM4500NOrg		07/21/2020 16:29	GDM
Phosphorus, Total low level	0.015	mg/L	0.001		E365.1		07/16/2020 8:48	GDM
Turbidity	1.00	NTU	0.05		E180.1		07/06/2020 16:30	BLW

Client Sample ID: Plummers Lk. South
Matrix: ENVIRO WATER

Collected: 07/06/2020 10:38

Lab ID: 2006755-30
Received: 07/06/2020 14:15

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	1.08	mg/L	0.01		SM4500NOrg		07/21/2020 16:29	GDM
Phosphorus, Total low level	0.016	mg/L	0.001		E365.1		07/16/2020 8:48	GDM
Turbidity	1.00	NTU	0.05		E180.1		07/06/2020 16:30	BLW

Client Sample ID: Plummers Lk. East
Matrix: ENVIRO WATER

Collected: 07/06/2020 10:45

Lab ID: 2006755-31
Received: 07/06/2020 14:15


<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.99	mg/L	0.01		SM4500NOrg		07/21/2020 16:29	GDM
Phosphorus, Total low level	0.016	mg/L	0.001		E365.1		07/16/2020 8:48	GDM
Turbidity	1.10	NTU	0.05		E180.1		07/06/2020 16:30	BLW

Client Sample ID: East Lk. South
Matrix: ENVIRO WATER

Collected: 07/06/2020 11:40

Lab ID: 2006755-32
Received: 07/06/2020 14:15

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.83	mg/L	0.01		SM4500NOrg		07/21/2020 16:29	GDM
Phosphorus, Total low level	0.014	mg/L	0.001		E365.1		07/16/2020 8:48	GDM
Turbidity	0.60	NTU	0.05		E180.1		07/06/2020 16:30	BLW



ANALYTICAL REPORT

Montana Environmental Laboratory LLC

1170 N. Meridian Rd., P.O. Box 8900, Kalispell, MT 59904-1900
Phone: 406-755-2131 Fax: 406-257-5359 www.melab.us

Randy Sundberg
Many Lakes Vacation Village HOA
P.O. Box 2032
Bigfork, MT 59911

PWS ID:
Project:

Client Sample ID: Double Lk. NW **Lab ID:** 2006755-33
Matrix: ENVIRO WATER **Collected:** 07/06/2020 **Received:** 07/06/2020 14:15

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.88	mg/L	0.01		SM4500NOrg		07/21/2020 16:29	GDM
Phosphorus, Total low level	0.008	mg/L	0.001		E365.1		07/16/2020 8:48	GDM
Turbidity	0.95	NTU	0.05		E180.1		07/06/2020 16:30	BLW

Client Sample ID: Double Lk. SW **Lab ID:** 2006755-34
Matrix: ENVIRO WATER **Collected:** 07/06/2020 12:05 **Received:** 07/06/2020 14:15


<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.79	mg/L	0.01		SM4500NOrg		07/21/2020 16:29	GDM
Phosphorus, Total low level	0.007	mg/L	0.001		E365.1		07/16/2020 8:48	GDM
Turbidity	0.85	NTU	0.05		E180.1		07/06/2020 16:30	BLW

Client Sample ID: Double Lk. SE **Lab ID:** 2006755-35
Matrix: ENVIRO WATER **Collected:** 07/06/2020 11:50 **Received:** 07/06/2020 14:15

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	1.31	mg/L	0.01		SM4500NOrg		07/21/2020 16:29	GDM
Phosphorus, Total low level	0.014	mg/L	0.001		E365.1		07/16/2020 8:48	GDM
Turbidity	0.80	NTU	0.05		E180.1		07/06/2020 16:30	BLW

Client Sample ID: Double Lk. East **Lab ID:** 2006755-36
Matrix: ENVIRO WATER **Collected:** 07/06/2020 11:48 **Received:** 07/06/2020 14:15

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.87	mg/L	0.01		SM4500NOrg		07/21/2020 16:29	GDM
Phosphorus, Total low level	0.006	mg/L	0.001		E365.1		07/16/2020 8:48	GDM
Turbidity	0.95	NTU	0.05		E180.1		07/06/2020 16:30	BLW



ANALYTICAL REPORT

Montana Environmental Laboratory LLC
1170 N. Meridian Rd., P.O. Box 8900, Kalispell, MT 59904-1900
Phone: 406-755-2131 Fax: 406-257-5359 www.melab.us

Randy Sundberg
Many Lakes Vacation Village HOA
P.O. Box 2032
Bigfork, MT 59911

PWS ID:
Project:

Client Sample ID: Lake Meredith
Matrix: ENVIRO WATER

Collected: 07/06/2020 11:56

Lab ID: 2006755-37
Received: 07/06/2020 14:15

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	1.98	mg/L	0.01		SM4500NOrg		07/21/2020 16:29	GDM
Phosphorus, Total low level	0.023	mg/L	0.001		E365.1		07/16/2020 8:48	GDM
Turbidity	0.60	NTU	0.05		E180.1		07/06/2020 16:30	BLW

Client Sample ID: Vicki Lk. North
Matrix: ENVIRO WATER

Collected: 07/06/2020 12:17

Lab ID: 2006755-38
Received: 07/06/2020 14:15


<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.65	mg/L	0.01		SM4500NOrg		07/21/2020 16:29	GDM
Phosphorus, Total low level	0.005	mg/L	0.001		E365.1		07/16/2020 8:48	GDM
Turbidity	0.70	NTU	0.05		E180.1		07/06/2020 16:30	BLW

Client Sample ID: Vicki Lk. SW
Matrix: ENVIRO WATER

Collected: 07/06/2020 12:30

Lab ID: 2006755-39
Received: 07/06/2020 14:15

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.71	mg/L	0.01		SM4500NOrg		07/21/2020 16:29	GDM
Phosphorus, Total low level	0.008	mg/L	0.001		E365.1		07/16/2020 8:48	GDM
Turbidity	0.75	NTU	0.05		E180.1		07/06/2020 16:30	BLW



Montana Environmental Laboratory LLC

P.O. Box 8900
Kalispell, MT 59904
www.melab.us

INVOICE

Invoice Date: 07/21/2020
Invoice #: 2006755

Randy Sundberg
Many Lakes Vacation Village HOA
P.O. Box 2032
Bigfork, MT 59911

Order#: M2006755
PO #:
Project:

Service	Procedure Description	QTY	Price	Invoice Amount
Laboratory	Nitrogen, Total Persulfate	39	\$45.00	\$1,755.00
	Phosphorus, Total low level	39	\$32.00	\$1,248.00
	Turbidity	39	\$20.00	\$780.00
Office Service	Analyst time (half hour)	10	\$35.00	\$350.00
	Mileage	43	\$0.75	\$32.25

Balance Due: \$4,165.25