

ANALYTICAL REPORT

Montana Environmental Laboratory LLC
1170 N. Meridian Rd., P.O. Box 8900, Kalispell, MT 59904-1900
Phone: 406-755-2131 Fax: 406-257-5359 www.melab.us

Randy Sundberg
Many Lakes Vacation Village HOA
P. O. Box 2032
Bigfork, MT 59911

PWS ID:
Project:

Client Sample ID: John Lake **Lab ID:** 1405292-01
Matrix: ENVIRO WATER **Collected:** 06/13/2014 8:15 **Received:** 06/13/2014 12:17

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Phosphorus, Total low level	0.007	mg/L	0.001		E365.1		06/19/2014 13:10	GDM
Turbidity	0.40	NTU	0.05		E180.1		06/16/2014 14:32	GDM

Client Sample ID: Cree Lake **Lab ID:** 1405292-02
Matrix: ENVIRO WATER **Collected:** 06/13/2014 8:20 **Received:** 06/13/2014 12:17


<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Phosphorus, Total low level	0.003	mg/L	0.001		E365.1		06/19/2014 13:10	GDM
Turbidity	0.30	NTU	0.05		E180.1		06/16/2014 14:32	GDM

Client Sample ID: Gilbert Lake **Lab ID:** 1405292-03
Matrix: ENVIRO WATER **Collected:** 06/13/2014 8:25 **Received:** 06/13/2014 12:17

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Phosphorus, Total low level	0.004	mg/L	0.001		E365.1		06/19/2014 13:10	GDM
Turbidity	0.40	NTU	0.05		E180.1		06/16/2014 14:32	GDM

Client Sample ID: Swimming Lake **Lab ID:** 1405292-04
Matrix: ENVIRO WATER **Collected:** 06/13/2014 8:25 **Received:** 06/13/2014 12:17

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Phosphorus, Total low level	0.004	mg/L	0.001		E365.1		06/19/2014 13:10	GDM
Turbidity	0.40	NTU	0.05		E180.1		06/16/2014 14:32	GDM



ANALYTICAL REPORT

Montana Environmental Laboratory LLC
1170 N. Meridian Rd., P.O. Box 8900, Kalispell, MT 59904-1900
Phone: 406-755-2131 Fax: 406-257-5359 www.melab.us

Randy Sundberg
Many Lakes Vacation Village HOA
P. O. Box 2032
Bigfork, MT 59911

PWS ID:
Project:

Client Sample ID: Kid Lake **Lab ID:** 1405292-05
Matrix: ENVIRO WATER **Collected:** 06/13/2014 8:35 **Received:** 06/13/2014 12:17

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Phosphorus, Total low level	0.006	mg/L	0.001		E365.1		06/19/2014 13:10	GDM
Turbidity	0.50	NTU	0.05		E180.1		06/16/2014 14:32	GDM

Client Sample ID: Lake SW of Gilbert **Lab ID:** 1405292-06
Matrix: ENVIRO WATER **Collected:** 06/13/2014 8:28 **Received:** 06/13/2014 12:17


<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Phosphorus, Total low level	0.005	mg/L	0.001		E365.1		06/19/2014 13:10	GDM
Turbidity	0.40	NTU	0.05		E180.1		06/16/2014 14:32	GDM

Client Sample ID: Amy Lake **Lab ID:** 1405292-07
Matrix: ENVIRO WATER **Collected:** 06/13/2014 9:00 **Received:** 06/13/2014 12:17

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Phosphorus, Total low level	0.012	mg/L	0.001		E365.1		06/19/2014 13:10	GDM
Turbidity	0.80	NTU	0.05		E180.1		06/16/2014 14:32	GDM

Client Sample ID: Ann Lake **Lab ID:** 1405292-08
Matrix: ENVIRO WATER **Collected:** 06/13/2014 9:05 **Received:** 06/13/2014 12:17

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Phosphorus, Total low level	0.009	mg/L	0.001		E365.1		06/19/2014 13:10	GDM
Turbidity	0.50	NTU	0.05		E180.1		06/16/2014 14:32	GDM



ANALYTICAL REPORT

Montana Environmental Laboratory LLC
1170 N. Meridian Rd., P.O. Box 8900, Kalispell, MT 59904-1900
Phone: 406-755-2131 Fax: 406-257-5359 www.melab.us

Randy Sundberg
Many Lakes Vacation Village HOA
P. O. Box 2032
Bigfork, MT 59911

PWS ID:
Project:

Client Sample ID: Kathy Lake **Lab ID:** 1405292-09
Matrix: ENVIRO WATER **Collected:** 06/13/2014 9:10 **Received:** 06/13/2014 12:17

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Phosphorus, Total low level	0.005	mg/L	0.001		E365.1		06/19/2014 13:10	GDM
Turbidity	0.50	NTU	0.05		E180.1		06/16/2014 14:32	GDM

Client Sample ID: Peter Lake **Lab ID:** 1405292-10
Matrix: ENVIRO WATER **Collected:** 06/13/2014 9:20 **Received:** 06/13/2014 12:17


<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Phosphorus, Total low level	0.003	mg/L	0.001		E365.1		06/19/2014 13:10	GDM
Turbidity	0.60	NTU	0.05		E180.1		06/16/2014 14:32	GDM

Client Sample ID: Dan Lake **Lab ID:** 1405292-11
Matrix: ENVIRO WATER **Collected:** 06/13/2014 9:25 **Received:** 06/13/2014 12:17

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Phosphorus, Total low level	0.018	mg/L	0.001		E365.1		06/19/2014 13:10	GDM
Turbidity	1.00	NTU	0.05		E180.1		06/16/2014 14:32	GDM

Client Sample ID: Plumber Lake **Lab ID:** 1405292-12
Matrix: ENVIRO WATER **Collected:** 06/13/2014 9:30 **Received:** 06/13/2014 12:17

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Phosphorus, Total low level	0.009	mg/L	0.001		E365.1		06/19/2014 13:10	GDM
Turbidity	0.80	NTU	0.05		E180.1		06/16/2014 14:32	GDM



ANALYTICAL REPORT

Montana Environmental Laboratory LLC
1170 N. Meridian Rd., P.O. Box 8900, Kalispell, MT 59904-1900
Phone: 406-755-2131 Fax: 406-257-5359 www.melab.us

Randy Sundberg
Many Lakes Vacation Village HOA
P. O. Box 2032
Bigfork, MT 59911

PWS ID:
Project:

Client Sample ID: Pond S. of Dan Lake **Lab ID:** 1405292-13
Matrix: ENVIRO WATER **Collected:** 06/13/2014 9:55 **Received:** 06/13/2014 12:17

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Phosphorus, Total low level	0.063	mg/L	0.001		E365.1		06/19/2014 13:10	GDM
Turbidity	1.60	NTU	0.05		E180.1		06/16/2014 14:32	GDM

Client Sample ID: Vickie Lake **Lab ID:** 1405292-14
Matrix: ENVIRO WATER **Collected:** 06/13/2014 10:00 **Received:** 06/13/2014 12:17


<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Phosphorus, Total low level	0.004	mg/L	0.001		E365.1		06/19/2014 13:10	GDM
Turbidity	0.40	NTU	0.05		E180.1		06/16/2014 14:32	GDM

Client Sample ID: Douglas Lake **Lab ID:** 1405292-15
Matrix: ENVIRO WATER **Collected:** 06/13/2014 10:10 **Received:** 06/13/2014 12:17

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Phosphorus, Total low level	0.004	mg/L	0.001		E365.1		06/19/2014 13:10	GDM
Turbidity	0.80	NTU	0.05		E180.1		06/16/2014 14:32	GDM

Client Sample ID: Tamarack Lake **Lab ID:** 1405292-16
Matrix: ENVIRO WATER **Collected:** 06/13/2014 10:10 **Received:** 06/13/2014 12:17

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Phosphorus, Total low level	0.003	mg/L	0.001		E365.1		06/19/2014 13:10	GDM
Turbidity	0.30	NTU	0.05		E180.1		06/16/2014 14:32	GDM



ANALYTICAL REPORT

Montana Environmental Laboratory LLC
1170 N. Meridian Rd., P.O. Box 8900, Kalispell, MT 59904-1900
Phone: 406-755-2131 Fax: 406-257-5359 www.melab.us

Randy Sundberg
Many Lakes Vacation Village HOA
P. O. Box 2032
Bigfork, MT 59911

PWS ID:
Project:

Client Sample ID: Bass Lake **Lab ID:** 1405292-17
Matrix: ENVIRO WATER **Collected:** 06/13/2014 10:18 **Received:** 06/13/2014 12:17

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Phosphorus, Total low level	0.003	mg/L	0.001		E365.1		06/19/2014 13:10	GDM
Turbidity	0.70	NTU	0.05		E180.1		06/16/2014 14:32	GDM

Client Sample ID: Double Lake North **Lab ID:** 1405292-18
Matrix: ENVIRO WATER **Collected:** 06/13/2014 10:22 **Received:** 06/13/2014 12:17


<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Phosphorus, Total low level	0.005	mg/L	0.001		E365.1		06/19/2014 13:10	GDM
Turbidity	0.40	NTU	0.05		E180.1		06/16/2014 14:32	GDM

Client Sample ID: East Bass Lake **Lab ID:** 1405292-19
Matrix: ENVIRO WATER **Collected:** 06/13/2014 10:35 **Received:** 06/13/2014 12:17

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Phosphorus, Total low level	0.004	mg/L	0.001		E365.1		06/19/2014 13:10	GDM
Turbidity	0.50	NTU	0.05		E180.1		06/16/2014 14:32	GDM

Client Sample ID: Double Lake S.E. **Lab ID:** 1405292-20
Matrix: ENVIRO WATER **Collected:** 06/13/2014 10:38 **Received:** 06/13/2014 12:17

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Phosphorus, Total low level	0.003	mg/L	0.001		E365.1		06/19/2014 13:10	GDM
Turbidity	0.30	NTU	0.05		E180.1		06/16/2014 14:32	GDM



ANALYTICAL REPORT

Montana Environmental Laboratory LLC

1170 N. Meridian Rd., P.O. Box 8900, Kalispell, MT 59904-1900

Phone: 406-755-2131 Fax: 406-257-5359 www.melab.us

Randy Sundberg
Many Lakes Vacation Village HOA
P. O. Box 2032
Bigfork, MT 59911

PWS ID:
Project:

Client Sample ID: Meredith Lake
Matrix: ENVIRO WATER

Collected: 06/13/2014 10:42

Lab ID: 1405292-21
Received: 06/13/2014 12:17

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Phosphorus, Total low level	0.014	mg/L	0.001		E365.1		06/19/2014 13:10	GDM
Turbidity	0.70	NTU	0.05		E180.1		06/16/2014 14:32	GDM

Client Sample ID: Dan Lake N.E.
Matrix: ENVIRO WATER

Collected: 06/13/2014 9:33

Lab ID: 1405292-22
Received: 06/13/2014 12:17

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Ammonia	0.13	mg/L	0.01		E350.1		06/19/2014 16:20	GDM
Nitrate + Nitrite, Total	0.02	mg/L	0.01		E353.2		06/18/2014 17:33	GDM
Optical Brighteners	ND	mg/L	5		3.4.1.4		06/16/2014 16:47	BLW
Phosphorus, Total low level	0.030	mg/L	0.001		E365.1		06/19/2014 13:10	GDM
Total Kjeldahl Nitrogen (TKN)	1.16	mg/L	0.20		E351.2		06/17/2014 14:37	GDM

Client Sample ID: Dan Lake E.
Matrix: ENVIRO WATER

Collected: 06/13/2014 9:40

Lab ID: 1405292-23
Received: 06/13/2014 12:17

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Ammonia	0.09	mg/L	0.01		E350.1		06/19/2014 16:20	GDM
Nitrate + Nitrite, Total	0.02	mg/L	0.01		E353.2		06/18/2014 17:33	GDM
Optical Brighteners	ND	mg/L	5		3.4.1.4		06/16/2014 16:47	BLW
Phosphorus, Total low level	0.040	mg/L	0.001		E365.1		06/19/2014 13:10	GDM
Total Kjeldahl Nitrogen (TKN)	1.11	mg/L	0.20		E351.2		06/17/2014 14:37	GDM

Client Sample ID: Dan Lake S.
Matrix: ENVIRO WATER


Collected: 06/13/2014 9:50

Lab ID: 1405292-24
Received: 06/13/2014 12:17

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Ammonia	0.21	mg/L	0.01		E350.1		06/19/2014 16:20	GDM
Nitrate + Nitrite, Total	0.02	mg/L	0.01		E353.2		06/18/2014 17:33	GDM

MCL = Maximum Contaminant Limit ND = Not Detected
RL = Reporting Limit

MEL REVIEW: 



ANALYTICAL REPORT

Montana Environmental Laboratory LLC

1170 N. Meridian Rd., P.O. Box 8900, Kalispell, MT 59904-1900

Phone: 406-755-2131 Fax: 406-257-5359 www.melab.us

Randy Sundberg
Many Lakes Vacation Village HOA
P. O. Box 2032
Bigfork, MT 59911

PWS ID:
Project:

Client Sample ID: Dan Lake S.

Lab ID: 1405292-24

Matrix: ENVIRO WATER

Collected: 06/13/2014 9:50

Received: 06/13/2014 12:17

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Optical Brighteners	ND	mg/L	5		3.4.1.4		06/16/2014 16:47	BLW
Phosphorus, Total low level	0.079	mg/L	0.001		E365.1		06/19/2014 13:10	GDM
Total Kjeldahl Nitrogen (TKN)	1.82	mg/L	0.20		E351.2		06/17/2014 14:37	GDM

Client Sample ID: Dan Lake S.E.

Lab ID: 1405292-25

Matrix: ENVIRO WATER

Collected: 06/13/2014 9:50

Received: 06/13/2014 12:17

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Ammonia	0.07	mg/L	0.01		E350.1		06/19/2014 16:20	GDM
Nitrate + Nitrite, Total	0.01	mg/L	0.01		E353.2		06/18/2014 17:33	GDM
Optical Brighteners	ND	mg/L	5		3.4.1.4		06/16/2014 16:47	BLW
Phosphorus, Total low level	0.077	mg/L	0.001		E365.1		06/19/2014 13:10	GDM
Total Kjeldahl Nitrogen (TKN)	1.29	mg/L	0.20		E351.2		06/17/2014 14:37	GDM