

ANALYTICAL REPORT

Montana Environmental Laboratory LLC
1170 N. Meridian Rd., P.O. Box 8900, Kalispell, MT 59904-1900
Phone: 406-755-2131 Fax: 406-257-5359 www.melab.us

Randy Sundberg
Many Lakes Vacation Village HOA
P. O. Box 2032
Bigfork, MT 59911

PWS ID:
Project:

Client Sample ID: W. John Lake **Lab ID:** 1606164-01
Matrix: ENVIRO WATER **Collected:** 06/15/2016 **Received:** 06/15/2016 15:25

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.46	mg/L	0.03		SM4500NOrg		06/29/2016 16:42	GDM
Phosphorus, Total low level	0.009	mg/L	0.001		E365.1		06/17/2016 12:56	GDM
Turbidity	0.50	NTU	0.05		E180.1		06/16/2016 14:38	BLW

Client Sample ID: E. John Lake **Lab ID:** 1606164-02
Matrix: ENVIRO WATER **Collected:** 06/15/2016 **Received:** 06/15/2016 15:25

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.50	mg/L	0.03		SM4500NOrg		06/29/2016 16:42	GDM
Phosphorus, Total low level	0.010	mg/L	0.001		E365.1		06/17/2016 12:56	GDM
Turbidity	0.50	NTU	0.05		E180.1		06/16/2016 14:38	BLW

Client Sample ID: W. Cree Lake **Lab ID:** 1606164-03
Matrix: ENVIRO WATER **Collected:** 06/15/2016 **Received:** 06/15/2016 15:25


<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.35	mg/L	0.03		SM4500NOrg		06/29/2016 16:42	GDM
Phosphorus, Total low level	0.003	mg/L	0.001		E365.1		06/17/2016 12:56	GDM
Turbidity	0.35	NTU	0.05		E180.1		06/16/2016 14:38	BLW

Client Sample ID: E. Cree Lake **Lab ID:** 1606164-04
Matrix: ENVIRO WATER **Collected:** 06/15/2016 **Received:** 06/15/2016 15:25

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.40	mg/L	0.03		SM4500NOrg		06/29/2016 16:42	GDM
Phosphorus, Total low level	0.007	mg/L	0.001		E365.1		06/17/2016 12:56	GDM
Turbidity	0.50	NTU	0.05		E180.1		06/16/2016 14:38	BLW

MCL = Maximum Contaminant Limit ND = Not Detected
RL = Reporting Limit

MEL REVIEW: JMC



ANALYTICAL REPORT

Montana Environmental Laboratory LLC
1170 N. Meridian Rd., P.O. Box 8900, Kalispell, MT 59904-1900
Phone: 406-755-2131 Fax: 406-257-5359 www.melab.us

Randy Sundberg
Many Lakes Vacation Village HOA
P. O. Box 2032
Bigfork, MT 59911

PWS ID:
Project:

Client Sample ID: E. Swimming Lake **Lab ID:** 1606164-05
Matrix: ENVIRO WATER **Collected:** 06/15/2016 **Received:** 06/15/2016 15:25

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.48	mg/L	0.03		SM4500NOrg		06/29/2016 16:42	GDM
Phosphorus, Total low level	0.005	mg/L	0.001		E365.1		06/17/2016 12:56	GDM
Turbidity	0.35	NTU	0.05		E180.1		06/16/2016 14:38	BLW

Client Sample ID: S. Swimming Lake **Lab ID:** 1606164-06
Matrix: ENVIRO WATER **Collected:** 06/15/2016 **Received:** 06/15/2016 15:25

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.48	mg/L	0.03		SM4500NOrg		06/29/2016 16:42	GDM
Phosphorus, Total low level	0.005	mg/L	0.001		E365.1		06/17/2016 12:56	GDM
Turbidity	0.40	NTU	0.05		E180.1		06/16/2016 14:38	BLW

Client Sample ID: W. Gilbert Lake **Lab ID:** 1606164-07
Matrix: ENVIRO WATER **Collected:** 06/15/2016 **Received:** 06/15/2016 15:25

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.64	mg/L	0.03		SM4500NOrg		06/29/2016 16:42	GDM
Phosphorus, Total low level	0.006	mg/L	0.001		E365.1		06/17/2016 12:56	GDM
Turbidity	0.40	NTU	0.05		E180.1		06/16/2016 14:38	BLW

Client Sample ID: E. Gilbert Lake **Lab ID:** 1606164-08
Matrix: ENVIRO WATER **Collected:** 06/15/2016 **Received:** 06/15/2016 15:25

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.64	mg/L	0.03		SM4500NOrg		06/29/2016 16:42	GDM
Phosphorus, Total low level	0.007	mg/L	0.001		E365.1		06/17/2016 12:56	GDM
Turbidity	0.40	NTU	0.05		E180.1		06/16/2016 14:38	BLW



ANALYTICAL REPORT

Montana Environmental Laboratory LLC
1170 N. Meridian Rd., P.O. Box 8900, Kalispell, MT 59904-1900
Phone: 406-755-2131 Fax: 406-257-5359 www.melab.us

Randy Sundberg
Many Lakes Vacation Village HOA
P. O. Box 2032
Bigfork, MT 59911

PWS ID:
Project:

Client Sample ID: N. Kathy Lake **Lab ID:** 1606164-09
Matrix: ENVIRO WATER **Collected:** 06/15/2016 **Received:** 06/15/2016 15:25

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.61	mg/L	0.03		SM4500NOrg		06/29/2016 16:42	GDM
Phosphorus, Total low level	0.011	mg/L	0.001		E365.1		06/17/2016 12:56	GDM
Turbidity	0.60	NTU	0.05		E180.1		06/16/2016 14:38	BLW

Client Sample ID: W. Kathy Lake **Lab ID:** 1606164-10
Matrix: ENVIRO WATER **Collected:** 06/15/2016 **Received:** 06/15/2016 15:25


<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.73	mg/L	0.03		SM4500NOrg		06/29/2016 16:42	GDM
Phosphorus, Total low level	0.014	mg/L	0.001		E365.1		06/17/2016 12:56	GDM
Turbidity	0.65	NTU	0.05		E180.1		06/16/2016 14:38	BLW

Client Sample ID: E. Kathy Lake **Lab ID:** 1606164-11
Matrix: ENVIRO WATER **Collected:** 06/15/2016 **Received:** 06/15/2016 15:25

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.79	mg/L	0.03		SM4500NOrg		06/29/2016 16:42	GDM
Phosphorus, Total low level	0.010	mg/L	0.001		E365.1		06/17/2016 12:56	GDM
Turbidity	0.65	NTU	0.05		E180.1		06/16/2016 14:38	BLW

Client Sample ID: W. Tamarack Lake **Lab ID:** 1606164-12
Matrix: ENVIRO WATER **Collected:** 06/15/2016 **Received:** 06/15/2016 15:25

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.41	mg/L	0.03		SM4500NOrg		06/29/2016 16:42	GDM
Phosphorus, Total low level	0.003	mg/L	0.001		E365.1		06/17/2016 12:56	GDM
Turbidity	0.30	NTU	0.05		E180.1		06/16/2016 14:38	BLW



ANALYTICAL REPORT

Montana Environmental Laboratory LLC
1170 N. Meridian Rd., P.O. Box 8900, Kalispell, MT 59904-1900
Phone: 406-755-2131 Fax: 406-257-5359 www.melab.us

Randy Sundberg
Many Lakes Vacation Village HOA
P. O. Box 2032
Bigfork, MT 59911

PWS ID:
Project:

Client Sample ID: N. Bass Lake Lab ID: 1606164-13
Matrix: ENVIRO WATER Collected: 06/15/2016 Received: 06/15/2016 15:25

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.67	mg/L	0.03		SM4500NOrg		06/29/2016 16:42	GDM
Phosphorus, Total low level	0.009	mg/L	0.001		E365.1		06/17/2016 12:56	GDM
Turbidity	0.90	NTU	0.05		E180.1		06/16/2016 14:38	BLW

Client Sample ID: NE Tamarack Lake Lab ID: 1606164-14
Matrix: ENVIRO WATER Collected: 06/15/2016 Received: 06/15/2016 15:25

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.41	mg/L	0.03		SM4500NOrg		06/29/2016 16:42	GDM
Phosphorus, Total low level	0.004	mg/L	0.001		E365.1		06/17/2016 12:56	GDM
Turbidity	0.30	NTU	0.05		E180.1		06/16/2016 14:38	BLW

Client Sample ID: S. Bass Lake Lab ID: 1606164-15
Matrix: ENVIRO WATER Collected: 06/15/2016 Received: 06/15/2016 15:25

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.49	mg/L	0.03		SM4500NOrg		06/29/2016 16:42	GDM
Phosphorus, Total low level	0.009	mg/L	0.001		E365.1		06/17/2016 12:56	GDM
Turbidity	0.75	NTU	0.05		E180.1		06/16/2016 14:38	BLW

Client Sample ID: SE Bass Lake Lab ID: 1606164-16
Matrix: ENVIRO WATER Collected: 06/15/2016 Received: 06/15/2016 15:25

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.54	mg/L	0.03		SM4500NOrg		06/29/2016 16:42	GDM
Phosphorus, Total low level	0.006	mg/L	0.001		E365.1		06/17/2016 12:56	GDM
Turbidity	0.40	NTU	0.05		E180.1		06/16/2016 14:38	BLW



ANALYTICAL REPORT

Montana Environmental Laboratory LLC
 1170 N. Meridian Rd., P.O. Box 8900, Kalispell, MT 59904-1900
 Phone: 406-755-2131 Fax: 406-257-5359 www.melab.us

Randy Sundberg
 Many Lakes Vacation Village HOA
 P. O. Box 2032
 Bigfork, MT 59911

PWS ID:
 Project:

Client Sample ID: WE Bass Lake **Lab ID:** 1606164-17
Matrix: ENVIRO WATER **Collected:** 06/15/2016 **Received:** 06/15/2016 15:25

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.56	mg/L	0.03		SM4500NOrg		06/29/2016 16:42	GDM
Phosphorus, Total low level	0.006	mg/L	0.001		E365.1		06/17/2016 12:56	GDM
Turbidity	0.35	NTU	0.05		E180.1		06/16/2016 14:38	BLW

Client Sample ID: N. Double Lake **Lab ID:** 1606164-18
Matrix: ENVIRO WATER **Collected:** 06/15/2016 **Received:** 06/15/2016 15:25

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.59	mg/L	0.03		SM4500NOrg		06/29/2016 16:42	GDM
Phosphorus, Total low level	0.008	mg/L	0.001		E365.1		06/17/2016 12:56	GDM
Turbidity	0.40	NTU	0.05		E180.1		06/16/2016 14:38	BLW

Client Sample ID: E. Double Lake **Lab ID:** 1606164-19
Matrix: ENVIRO WATER **Collected:** 06/15/2016 **Received:** 06/15/2016 15:25


<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.59	mg/L	0.03		SM4500NOrg		06/29/2016 16:42	GDM
Phosphorus, Total low level	0.006	mg/L	0.001		E365.1		06/17/2016 12:56	GDM
Turbidity	0.40	NTU	0.05		E180.1		06/16/2016 14:38	BLW

Client Sample ID: SE Double Lake **Lab ID:** 1606164-20
Matrix: ENVIRO WATER **Collected:** 06/15/2016 **Received:** 06/15/2016 15:25

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	1.41	mg/L	0.03		SM4500NOrg		06/29/2016 16:42	GDM
Phosphorus, Total low level	0.037	mg/L	0.001		E365.1		06/17/2016 12:56	GDM
Turbidity	2.2	NTU	0.05		E180.1		06/16/2016 14:38	BLW

MCL = Maximum Contaminant Limit ND = Not Detected
 RL = Reporting Limit

MEL REVIEW: JMC



ANALYTICAL REPORT

Montana Environmental Laboratory LLC
 1170 N. Meridian Rd., P.O. Box 8900, Kalispell, MT 59904-1900
 Phone: 406-755-2131 Fax: 406-257-5359 www.melab.us

Randy Sundberg
 Many Lakes Vacation Village HOA
 P. O. Box 2032
 Bigfork, MT 59911

PWS ID:
 Project:

Client Sample ID: SW Double Lake
Matrix: ENVIRO WATER

Collected: 06/15/2016

Lab ID: 1606164-21
Received: 06/15/2016 15:25

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.58	mg/L	0.03		SM4500NOrg		06/29/2016 16:42	GDM
Phosphorus, Total low level	0.007	mg/L	0.001		E365.1		06/17/2016 12:56	GDM
Turbidity	0.40	NTU	0.05		E180.1		06/16/2016 14:38	BLW

Client Sample ID: N. Vicky Lake
Matrix: ENVIRO WATER

Collected: 06/15/2016

Lab ID: 1606164-22
Received: 06/15/2016 15:25

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.55	mg/L	0.03		SM4500NOrg		06/29/2016 16:42	GDM
Phosphorus, Total low level	0.006	mg/L	0.001		E365.1		06/17/2016 12:56	GDM
Turbidity	0.45	NTU	0.05		E180.1		06/16/2016 14:38	BLW

Client Sample ID: W. Vicky Lake
Matrix: ENVIRO WATER

Collected: 06/15/2016

Lab ID: 1606164-23
Received: 06/15/2016 15:25


<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.58	mg/L	0.03		SM4500NOrg		06/29/2016 16:42	GDM
Phosphorus, Total low level	0.007	mg/L	0.001		E365.1		06/17/2016 12:56	GDM
Turbidity	0.45	NTU	0.05		E180.1		06/16/2016 14:38	BLW

Client Sample ID: SE Plummers Lake
Matrix: ENVIRO WATER

Collected: 06/15/2016

Lab ID: 1606164-24
Received: 06/15/2016 15:25

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.91	mg/L	0.03		SM4500NOrg		06/29/2016 16:42	GDM
Phosphorus, Total low level	0.012	mg/L	0.001		E365.1		06/17/2016 12:56	GDM
Turbidity	0.80	NTU	0.05		E180.1		06/16/2016 14:38	BLW



ANALYTICAL REPORT

Montana Environmental Laboratory LLC
1170 N. Meridian Rd., P.O. Box 8900, Kalispell, MT 59904-1900
Phone: 406-755-2131 Fax: 406-257-5359 www.melab.us

Randy Sundberg
Many Lakes Vacation Village HOA
P. O. Box 2032
Bigfork, MT 59911

PWS ID:
Project:

Client Sample ID: N. Plummers Lake **Lab ID:** 1606164-25
Matrix: ENVIRO WATER **Collected:** 06/15/2016 **Received:** 06/15/2016 15:25

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.91	mg/L	0.03		SM4500NOrg		06/29/2016 16:42	GDM
Phosphorus, Total low level	0.010	mg/L	0.001		E365.1		06/17/2016 12:56	GDM
Turbidity	0.75	NTU	0.05		E180.1		06/16/2016 14:38	BLW

Client Sample ID: NW Plummers Lake **Lab ID:** 1606164-26
Matrix: ENVIRO WATER **Collected:** 06/15/2016 **Received:** 06/15/2016 15:25

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.91	mg/L	0.03		SM4500NOrg		06/29/2016 16:42	GDM
Phosphorus, Total low level	0.012	mg/L	0.001		E365.1		06/17/2016 12:56	GDM
Turbidity	0.70	NTU	0.05		E180.1		06/16/2016 14:38	BLW

Client Sample ID: W. Douglas Lake **Lab ID:** 1606164-27
Matrix: ENVIRO WATER **Collected:** 06/15/2016 **Received:** 06/15/2016 15:25

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.65	mg/L	0.03		SM4500NOrg		06/29/2016 16:42	GDM
Phosphorus, Total low level	0.010	mg/L	0.001		E365.1		06/17/2016 12:56	GDM
Turbidity	0.45	NTU	0.05		E180.1		06/16/2016 14:38	BLW

Client Sample ID: S. Douglas Lake **Lab ID:** 1606164-28
Matrix: ENVIRO WATER **Collected:** 06/15/2016 **Received:** 06/15/2016 15:25

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.68	mg/L	0.03		SM4500NOrg		06/29/2016 16:42	GDM
Phosphorus, Total low level	0.012	mg/L	0.001		E365.1		06/17/2016 12:56	GDM
Turbidity	0.40	NTU	0.05		E180.1		06/16/2016 14:38	BLW



ANALYTICAL REPORT

Montana Environmental Laboratory LLC
 1170 N. Meridian Rd., P.O. Box 8900, Kalispell, MT 59904-1900
 Phone: 406-755-2131 Fax: 406-257-5359 www.melab.us

Randy Sundberg
 Many Lakes Vacation Village HOA
 P. O. Box 2032
 Bigfork, MT 59911

PWS ID:
 Project:

Client Sample ID: W. Peters Lake
Matrix: ENVIRO WATER

Collected: 06/15/2016

Lab ID: 1606164-29
Received: 06/15/2016 15:25

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.81	mg/L	0.03		SM4500NOrg		06/29/2016 16:42	GDM
Phosphorus, Total low level	0.010	mg/L	0.001		E365.1		06/17/2016 12:56	GDM
Turbidity	0.65	NTU	0.05		E180.1		06/16/2016 14:38	BLW

Client Sample ID: E. Peters Lake
Matrix: ENVIRO WATER

Collected: 06/15/2016

Lab ID: 1606164-30
Received: 06/15/2016 15:25

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.78	mg/L	0.03		SM4500NOrg		06/29/2016 16:42	GDM
Phosphorus, Total low level	0.021	mg/L	0.001		E365.1		06/17/2016 12:56	GDM
Turbidity	0.60	NTU	0.05		E180.1		06/16/2016 14:38	BLW

Client Sample ID: N. Amy Lake
Matrix: ENVIRO WATER

Collected: 06/15/2016

Lab ID: 1606164-31
Received: 06/15/2016 15:25

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.95	mg/L	0.03		SM4500NOrg		06/29/2016 16:42	GDM
Phosphorus, Total low level	0.024	mg/L	0.001		E365.1		06/17/2016 12:56	GDM
Turbidity	0.80	NTU	0.05		E180.1		06/16/2016 14:38	BLW

Client Sample ID: W. Ann Lake
Matrix: ENVIRO WATER

Collected: 06/15/2016

Lab ID: 1606164-32
Received: 06/15/2016 15:25

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.86	mg/L	0.03		SM4500NOrg		06/29/2016 16:42	GDM
Phosphorus, Total low level	0.016	mg/L	0.001		E365.1		06/17/2016 12:56	GDM
Turbidity	0.60	NTU	0.05		E180.1		06/16/2016 14:38	BLW

MCL = Maximum Contaminant Limit ND = Not Detected
 RL = Reporting Limit

MEL REVIEW: *JMc*



ANALYTICAL REPORT

Montana Environmental Laboratory LLC

1170 N. Meridian Rd., P.O. Box 8900, Kalispell, MT 59904-1900
Phone: 406-755-2131 Fax: 406-257-5359 www.melab.us

Randy Sundberg
Many Lakes Vacation Village HOA
P. O. Box 2032
Bigfork, MT 59911

PWS ID:
Project:

Client Sample ID: S. Ann Lake **Lab ID:** 1606164-33
Matrix: ENVIRO WATER **Collected:** 06/15/2016 **Received:** 06/15/2016 15:25

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.86	mg/L	0.03		SM4500NOrg		06/29/2016 16:42	GDM
Phosphorus, Total low level	0.016	mg/L	0.001		E365.1		06/17/2016 12:56	GDM
Turbidity	0.80	NTU	0.05		E180.1		06/16/2016 14:38	BLW

Client Sample ID: E. Ann Lake **Lab ID:** 1606164-34
Matrix: ENVIRO WATER **Collected:** 06/15/2016 **Received:** 06/15/2016 15:25


<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.91	mg/L	0.03		SM4500NOrg		06/29/2016 16:42	GDM
Phosphorus, Total low level	0.016	mg/L	0.001		E365.1		06/17/2016 12:56	GDM
Turbidity	0.65	NTU	0.05		E180.1		06/16/2016 14:38	BLW

Client Sample ID: W. Amy Lake **Lab ID:** 1606164-35
Matrix: ENVIRO WATER **Collected:** 06/15/2016 **Received:** 06/15/2016 15:25

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.98	mg/L	0.03		SM4500NOrg		06/29/2016 16:42	GDM
Phosphorus, Total low level	0.022	mg/L	0.001		E365.1		06/17/2016 12:56	GDM
Turbidity	1.1	NTU	0.05		E180.1		06/16/2016 14:38	BLW

Client Sample ID: Lake N. of Kid Lake **Lab ID:** 1606164-36
Matrix: ENVIRO WATER **Collected:** 06/15/2016 **Received:** 06/15/2016 15:25

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.87	mg/L	0.03		SM4500NOrg		06/29/2016 16:42	GDM
Phosphorus, Total low level	0.025	mg/L	0.001		E365.1		06/17/2016 12:56	GDM
Turbidity	0.80	NTU	0.05		E180.1		06/16/2016 14:38	BLW



ANALYTICAL REPORT

Montana Environmental Laboratory LLC

1170 N. Meridian Rd., P.O. Box 8900, Kalispell, MT 59904-1900
Phone: 406-755-2131 Fax: 406-257-5359 www.melab.us

Randy Sundberg
Many Lakes Vacation Village HOA
P. O. Box 2032
Bigfork, MT 59911

PWS ID:
Project:

Client Sample ID: N. Kid Lake
Matrix: ENVIRO WATER

Collected: 06/15/2016

Lab ID: 1606164-37
Received: 06/15/2016 15:25

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.66	mg/L	0.03		SM4500NOrg		06/29/2016 16:42	GDM
Phosphorus, Total low level	0.017	mg/L	0.001		E365.1		06/17/2016 12:56	GDM
Turbidity	0.70	NTU	0.05		E180.1		06/16/2016 14:38	BLW

Client Sample ID: NW Dan Lake
Matrix: ENVIRO WATER

Collected: 06/15/2016

Lab ID: 1606164-38
Received: 06/15/2016 15:25

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	1.83	mg/L	0.03		SM4500NOrg		06/29/2016 16:42	GDM
Phosphorus, Total low level	0.031	mg/L	0.001		E365.1		06/17/2016 12:56	GDM
Turbidity	0.70	NTU	0.05		E180.1		06/16/2016 14:38	BLW

Client Sample ID: SW Dan Lake
Matrix: ENVIRO WATER

Collected: 06/15/2016

Lab ID: 1606164-39
Received: 06/15/2016 15:25

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	2.28	mg/L	0.03		SM4500NOrg		06/29/2016 16:42	GDM
Phosphorus, Total low level	0.033	mg/L	0.001		E365.1		06/17/2016 12:56	GDM
Turbidity	1.1	NTU	0.05		E180.1		06/16/2016 14:38	BLW

Client Sample ID: SE Dan Lake
Matrix: ENVIRO WATER

Collected: 06/15/2016

Lab ID: 1606164-40
Received: 06/15/2016 15:25

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	1.61	mg/L	0.03		SM4500NOrg		06/29/2016 16:42	GDM
Phosphorus, Total low level	0.023	mg/L	0.001		E365.1		06/17/2016 12:56	GDM
Turbidity	0.60	NTU	0.05		E180.1		06/16/2016 14:38	BLW



ANALYTICAL REPORT

Montana Environmental Laboratory LLC
 1170 N. Meridian Rd., P.O. Box 8900, Kalispell, MT 59904-1900
 Phone: 406-755-2131 Fax: 406-257-5359 www.melab.us

Randy Sundberg
 Many Lakes Vacation Village HOA
 P. O. Box 2032
 Bigfork, MT 59911

PWS ID:
 Project:

Client Sample ID: NE Dan Lake
Matrix: ENVIRO WATER

Collected: 06/15/2016

Lab ID: 1606164-41
Received: 06/15/2016 15:25

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	1.62	mg/L	0.03		SM4500NOrg		06/29/2016 16:42	GDM
Phosphorus, Total low level	0.024	mg/L	0.001		E365.1		06/17/2016 12:56	GDM
Turbidity	0.60	NTU	0.05		E180.1		06/16/2016 14:38	BLW

Client Sample ID: Lake SW of Dan
Matrix: ENVIRO WATER

Collected: 06/15/2016

Lab ID: 1606164-42
Received: 06/15/2016 15:25

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	1.20	mg/L	0.03		SM4500NOrg		06/29/2016 16:42	GDM
Phosphorus, Total low level	0.032	mg/L	0.001		E365.1		06/17/2016 12:56	GDM
Turbidity	0.70	NTU	0.05		E180.1		06/16/2016 14:38	BLW

Client Sample ID: W. Lake Meredith
Matrix: ENVIRO WATER

Collected: 06/15/2016

Lab ID: 1606164-43
Received: 06/15/2016 15:25

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.88	mg/L	0.03		SM4500NOrg		06/29/2016 16:42	GDM
Phosphorus, Total low level	0.021	mg/L	0.001		E365.1		06/17/2016 12:56	GDM
Turbidity	0.75	NTU	0.05		E180.1		06/16/2016 14:38	BLW

Client Sample ID: E. Jake Lake
Matrix: ENVIRO WATER

Collected: 06/15/2016

Lab ID: 1606164-44
Received: 06/15/2016 15:25

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.54	mg/L	0.03		SM4500NOrg		06/29/2016 16:42	GDM
Phosphorus, Total low level	0.012	mg/L	0.001		E365.1		06/17/2016 12:56	GDM
Turbidity	0.80	NTU	0.05		E180.1		06/16/2016 14:38	BLW

QUALITY CONTROL REPORT

Montana Environmental Laboratory LLC

Test Parameters

Order# M1606164

BLANK WASTE WATER	LAB-ID #	Sample Concentr.	Spike Concentr.	QC Test Result	Pct (%) Recovery	RPD
Nitrogen, Total Persulfate-mg/L	0012649-02			-.012		
Nitrogen, Total Persulfate-mg/L	0012649-02			-.012		
Phosphorus, Total low level-mg/L	0012619-02			-0.0006		
Turbidity-NTU	0012618-02			0.062		
CONTROL WASTE WATER	LAB-ID #	Sample Concentr.	Spike Concentr.	QC Test Result	Pct (%) Recovery	RPD
Nitrogen, Total Persulfate-mg/L	0012649-03		1	.992	99.2%	
Nitrogen, Total Persulfate-mg/L	0012649-03		1	.992	99.2%	
Phosphorus, Total low level-mg/L	0012619-03		0.025	0.0259	103.6%	
CONTROL DUP WASTE WATER	LAB-ID #	Sample Concentr.	Spike Concentr.	QC Test Result	Pct (%) Recovery	RPD
Nitrogen, Total Persulfate-mg/L	0012649-04		1	1.029	102.9%	200.0%
Nitrogen, Total Persulfate-mg/L	0012649-04		1	1.029	102.9%	200.0%
Phosphorus, Total low level-mg/L	0012619-04		0.025	0.0252	100.8%	2.7%
DUPLICATE WASTE WATER	LAB-ID #	Sample Concentr.	Spike Concentr.	QC Test Result	Pct (%) Recovery	RPD
Nitrogen, Total Persulfate-mg/L	1606164-09	0.61		.605		0.8%
Nitrogen, Total Persulfate-mg/L	1606164-09	0.61		.605		0.8%
Phosphorus, Total low level-mg/L	1606164-40	0.023		0.023		0.0%
Turbidity-NTU	1606164-32	0.6		0.6		0.0%
MS ENVIRO WATER	LAB-ID #	Sample Concentr.	Spike Concentr.	QC Test Result	Pct (%) Recovery	RPD
Nitrogen, Total Persulfate-mg/L	1606164-09	0.61	1	1.65	104.0%	
Nitrogen, Total Persulfate-mg/L	1606164-09	0.61	1	1.65	104.0%	
Phosphorus, Total low level-mg/L	1606164-40	0.023	0.03	0.0512	94.0%	
MSD ENVIRO WATER	LAB-ID #	Sample Concentr.	Spike Concentr.	QC Test Result	Pct (%) Recovery	RPD
Nitrogen, Total Persulfate-mg/L	1606164-09	0.61	1	1.7	109.0%	94.4%
Nitrogen, Total Persulfate-mg/L	1606164-09	0.61	1	1.7	109.0%	94.4%
Phosphorus, Total low level-mg/L	1606164-40	0.023	0.03	0.0512	94.0%	0.0%
SRM ENVIRO WATER	LAB-ID #	Sample Concentr.	Spike Concentr.	QC Test Result	Pct (%) Recovery	RPD
Phosphorus, Total low level-mg/L	0012619-05		0.052	0.0518	99.6%	