



ANALYTICAL REPORT

Montana Environmental Laboratory LLC
1170 N. Meridian Rd., P.O. Box 8900, Kalispell, MT 59904-1900
Phone: 406-755-2131 Fax: 406-257-5359 www.melab.us

Randy Sundberg
Many Lakes Vacation Village HOA
P.O. Box 2032
Bigfork, MT 59911

PWS ID:
Project: Lakes Sampling

Client Sample ID: Plumbers Lake N **Lab ID:** 2506874-01
Matrix: ENVIRO WATER **Collected:** 06/30/2025 8:10 **Received:** 06/30/2025 12:30

<u>Analytes</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.97	mg/L	0.1		SM4500NOrg		07/15/2025 17:33	NB
Phosphorus, Total low level	0.011	mg/L	0.001		E365.1		07/02/2025 14:07	NB
Turbidity	0.65	NTU	0.05		E180.1		06/30/2025 16:30	BLW

Client Sample ID: Kathy Lake SW **Lab ID:** 2506874-02
Matrix: ENVIRO WATER **Collected:** 06/30/2025 8:15 **Received:** 06/30/2025 12:30

<u>Analytes</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.70	mg/L	0.1		SM4500NOrg		07/15/2025 17:33	NB
Phosphorus, Total low level	0.012	mg/L	0.001		E365.1		07/02/2025 14:07	NB
Turbidity	0.55	NTU	0.05		E180.1		06/30/2025 16:30	BLW

Client Sample ID: Amy Lake E **Lab ID:** 2506874-03
Matrix: ENVIRO WATER **Collected:** 06/30/2025 8:33 **Received:** 06/30/2025 12:30

<u>Analytes</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.93	mg/L	0.1		SM4500NOrg		07/15/2025 17:33	NB
Phosphorus, Total low level	0.020	mg/L	0.001		E365.1		07/02/2025 14:07	NB
Turbidity	0.70	NTU	0.05		E180.1		06/30/2025 16:30	BLW

Client Sample ID: Ann Lake W **Lab ID:** 2506874-04
Matrix: ENVIRO WATER **Collected:** 06/30/2025 8:44 **Received:** 06/30/2025 12:30

<u>Analytes</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.74	mg/L	0.1		SM4500NOrg		07/15/2025 17:33	NB
Phosphorus, Total low level	0.016	mg/L	0.001		E365.1		07/02/2025 14:07	NB
Turbidity	0.45	NTU	0.05		E180.1		06/30/2025 16:30	BLW



ANALYTICAL REPORT

Montana Environmental Laboratory LLC
1170 N. Meridian Rd., P.O. Box 8900, Kalispell, MT 59904-1900
Phone: 406-755-2131 Fax: 406-257-5359 www.melab.us

Randy Sundberg
Many Lakes Vacation Village HOA
P.O. Box 2032
Bigfork, MT 59911

PWS ID:
Project: Lakes Sampling

Client Sample ID: John Lake W **Lab ID:** 2506874-05
Matrix: ENVIRO WATER **Collected:** 06/30/2025 8:54 **Received:** 06/30/2025 12:30

<u>Analytes</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.52	mg/L	0.1		SM4500NOrg		07/15/2025 17:33	NB
Phosphorus, Total low level	0.012	mg/L	0.001		E365.1		07/02/2025 14:07	NB
Turbidity	1.10	NTU	0.05		E180.1		06/30/2025 16:30	BLW

Client Sample ID: Swimming Lake NE **Lab ID:** 2506874-06
Matrix: ENVIRO WATER **Collected:** 06/30/2025 9:05 **Received:** 06/30/2025 12:30

<u>Analytes</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.48	mg/L	0.1		SM4500NOrg		07/15/2025 17:33	NB
Phosphorus, Total low level	0.007	mg/L	0.001		E365.1		07/02/2025 14:07	NB
Turbidity	0.55	NTU	0.05		E180.1		06/30/2025 16:30	BLW

Client Sample ID: Cree Lake W **Lab ID:** 2506874-07
Matrix: ENVIRO WATER **Collected:** 06/30/2025 9:10 **Received:** 06/30/2025 12:30

<u>Analytes</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.34	mg/L	0.1		SM4500NOrg		07/15/2025 17:33	NB
Phosphorus, Total low level	0.009	mg/L	0.001		E365.1		07/02/2025 14:07	NB
Turbidity	0.75	NTU	0.05		E180.1		06/30/2025 16:30	BLW

Client Sample ID: Gilbert Lake W **Lab ID:** 2506874-08
Matrix: ENVIRO WATER **Collected:** 06/30/2025 9:16 **Received:** 06/30/2025 12:30

<u>Analytes</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.73	mg/L	0.1		SM4500NOrg		07/15/2025 17:33	NB
Phosphorus, Total low level	0.008	mg/L	0.001		E365.1		07/02/2025 14:07	NB
Turbidity	0.45	NTU	0.05		E180.1		06/30/2025 16:30	BLW



ANALYTICAL REPORT

Montana Environmental Laboratory LLC
1170 N. Meridian Rd., P.O. Box 8900, Kalispell, MT 59904-1900
Phone: 406-755-2131 Fax: 406-257-5359 www.melab.us

Randy Sundberg
Many Lakes Vacation Village HOA
P.O. Box 2032
Bigfork, MT 59911

PWS ID:
Project: Lakes Sampling

Client Sample ID: Jake Lake E **Lab ID:** 2506874-09
Matrix: ENVIRO WATER **Collected:** 06/30/2025 9:20 **Received:** 06/30/2025 12:30

<u>Analytes</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.40	mg/L	0.1		SM4500NOrg		07/15/2025 17:33	NB
Phosphorus, Total low level	0.009	mg/L	0.001		E365.1		07/02/2025 14:07	NB
Turbidity	0.60	NTU	0.05		E180.1		06/30/2025 16:30	BLW

Client Sample ID: Kid Lake SW **Lab ID:** 2506874-10
Matrix: ENVIRO WATER **Collected:** 06/30/2025 9:59 **Received:** 06/30/2025 12:30

<u>Analytes</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.95	mg/L	0.1		SM4500NOrg		07/15/2025 17:33	NB
Phosphorus, Total low level	0.028	mg/L	0.001		E365.1		07/02/2025 14:07	NB
Turbidity	0.60	NTU	0.05		E180.1		06/30/2025 16:30	BLW

Client Sample ID: Douglas Lake NE **Lab ID:** 2506874-11
Matrix: ENVIRO WATER **Collected:** 06/30/2025 9:58 **Received:** 06/30/2025 12:30

<u>Analytes</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.98	mg/L	0.1		SM4500NOrg		07/15/2025 17:33	NB
Phosphorus, Total low level	0.018	mg/L	0.001		E365.1		07/02/2025 14:07	NB
Turbidity	0.90	NTU	0.05		E180.1		06/30/2025 16:30	BLW

Client Sample ID: Douglas Lake W **Lab ID:** 2506874-12
Matrix: ENVIRO WATER **Collected:** 06/30/2025 10:02 **Received:** 06/30/2025 12:30

<u>Analytes</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	1.01	mg/L	0.1		SM4500NOrg		07/15/2025 17:33	NB
Phosphorus, Total low level	0.018	mg/L	0.001		E365.1		07/02/2025 14:07	NB
Turbidity	0.95	NTU	0.05		E180.1		06/30/2025 16:30	BLW



ANALYTICAL REPORT

Montana Environmental Laboratory LLC
1170 N. Meridian Rd., P.O. Box 8900, Kalispell, MT 59904-1900
Phone: 406-755-2131 Fax: 406-257-5359 www.melab.us

Randy Sundberg
Many Lakes Vacation Village HOA
P.O. Box 2032
Bigfork, MT 59911

PWS ID:
Project: Lakes Sampling

Client Sample ID: Double Lake SW **Lab ID:** 2506874-13
Matrix: ENVIRO WATER **Collected:** 06/30/2025 10:05 **Received:** 06/30/2025 12:30

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.67	mg/L	0.1		SM4500NOrg		07/15/2025 17:33	NB
Phosphorus, Total low level	0.011	mg/L	0.001		E365.1		07/02/2025 14:07	NB
Turbidity	0.60	NTU	0.05		E180.1		06/30/2025 16:30	BLW

Client Sample ID: Peter Lake E **Lab ID:** 2506874-14
Matrix: ENVIRO WATER **Collected:** 06/30/2025 10:08 **Received:** 06/30/2025 12:30

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	1.11	mg/L	0.1		SM4500NOrg		07/15/2025 17:33	NB
Phosphorus, Total low level	0.019	mg/L	0.001		E365.1		07/02/2025 14:07	NB
Turbidity	1.15	NTU	0.05		E180.1		06/30/2025 16:30	BLW

Client Sample ID: Vicky Lake N **Lab ID:** 2506874-15
Matrix: ENVIRO WATER **Collected:** 06/30/2025 10:10 **Received:** 06/30/2025 12:30

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.70	mg/L	0.1		SM4500NOrg		07/15/2025 17:33	NB
Phosphorus, Total low level	0.014	mg/L	0.001		E365.1		07/02/2025 14:07	NB
Turbidity	0.95	NTU	0.05		E180.1		06/30/2025 16:30	BLW

Client Sample ID: Tamarack Lake NE **Lab ID:** 2506874-16
Matrix: ENVIRO WATER **Collected:** 06/30/2025 10:24 **Received:** 06/30/2025 12:30

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.58	mg/L	0.1		SM4500NOrg		07/15/2025 17:33	NB
Phosphorus, Total low level	0.008	mg/L	0.001		E365.1		07/02/2025 14:07	NB
Turbidity	0.55	NTU	0.05		E180.1		06/30/2025 16:30	BLW



ANALYTICAL REPORT

Montana Environmental Laboratory LLC
1170 N. Meridian Rd., P.O. Box 8900, Kalispell, MT 59904-1900
Phone: 406-755-2131 Fax: 406-257-5359 www.melab.us

Randy Sundberg
Many Lakes Vacation Village HOA
P.O. Box 2032
Bigfork, MT 59911

PWS ID:
Project: Lakes Sampling

Client Sample ID: Bass Lake N **Lab ID:** 2506874-17
Matrix: ENVIRO WATER **Collected:** 06/30/2025 10:33 **Received:** 06/30/2025 12:30

<u>Analytes</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	1.04	mg/L	0.1		SM4500NOrg		07/15/2025 17:33	NB
Phosphorus, Total low level	0.035	mg/L	0.001		E365.1		07/02/2025 14:07	NB
Turbidity	2.15	NTU	0.05		E180.1		06/30/2025 16:30	BLW

Client Sample ID: Double Lake N **Lab ID:** 2506874-18
Matrix: ENVIRO WATER **Collected:** 06/30/2025 10:42 **Received:** 06/30/2025 12:30

<u>Analytes</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	ND	mg/L	0.1		SM4500NOrg		07/15/2025 17:33	NB
Phosphorus, Total low level	0.011	mg/L	0.001		E365.1		07/02/2025 14:07	NB
Turbidity	0.60	NTU	0.05		E180.1		06/30/2025 16:30	BLW

Client Sample ID: East Bass Lake **Lab ID:** 2506874-19
Matrix: ENVIRO WATER **Collected:** 06/30/2025 10:48 **Received:** 06/30/2025 12:30

<u>Analytes</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.62	mg/L	0.1		SM4500NOrg		07/15/2025 17:33	NB
Phosphorus, Total low level	0.012	mg/L	0.001		E365.1		07/02/2025 14:07	NB
Turbidity	0.60	NTU	0.05		E180.1		06/30/2025 16:30	BLW



ANALYTICAL REPORT

Montana Environmental Laboratory LLC
1170 N. Meridian Rd., P.O. Box 8900, Kalispell, MT 59904-1900
Phone: 406-755-2131 Fax: 406-257-5359 www.melab.us

Randy Sundberg
Many Lakes Vacation Village HOA
P.O. Box 2032
Bigfork, MT 59911

PWS ID:
Project: Lakes Sampling

6874

BENCH SHEET

SOURCE: MANY LAKES VACATION LAB #: _____
SAMPLE DATE / TIME: 6/30/25 VILLAGE DATE / TIME RECEIVED: 6/30/25 1230
LAKES SAMPLING
Environmental Water (MAIL ALL) + 4 1/2 Hours \$ 45 / 1/2 Hr.
+ 40 MILES @ .75 / MILE

Lab Number	6874-1	-2	-3	-4	-5
Sample Location	PLUMBERS LAKE N	KATHY LK SW	AMY LK E	ANN LK W	JOHN LK W
Sample Date / Time	8:10	8:15	8:33	8:44	8:54
NITROGEN, TOTAL PERSULFATE	0.97	0.70	0.93	0.74	0.52
PHOSPHORUS, TOTAL LL	0.011	0.012	0.020	0.016	0.012
TURBIDITY	0.65	0.55	0.70	0.45	1.10

Lab Number	-6	-7	-8	-9	-10
Sample Location	SWIMMING LK NE	CREE LK W	GILBERT LK W	JAKE LK E	KID LK SW
Sample Date / Time	9:05	9:10	9:16	9:20	9:59
NITROGEN, TOTAL PERSULFATE	0.48	0.34	0.73	0.40	0.95
PHOSPHORUS, TOTAL LL	0.007	0.009	0.008	0.009	0.020
TURBIDITY	0.55	0.75	0.45	0.60	0.60



ANALYTICAL REPORT

Montana Environmental Laboratory LLC
1170 N. Meridian Rd., P.O. Box 8900, Kalispell, MT 59904-1900
Phone: 406-755-2131 Fax: 406-257-5359 www.melab.us

Randy Sundberg
Many Lakes Vacation Village HOA
P.O. Box 2032
Bigfork, MT 59911

PWS ID:
Project: Lakes Sampling

BENCH SHEET

SOURCE: MANY LAKES VACATION VILLAGE LAB #: _____
SAMPLE DATE / TIME: _____ DATE / TIME RECEIVED: _____

Environmental Water

Lab Number	-11	-12	-13	-14	-15
Sample Location	Douglas Lk NE	Douglas Lk W	Double Lk SW	Peter Lk E	Vicky Lk N
Sample Date / Time	9:58	10:02	10:05	10:08	10:10
NITROGEN, TOTAL PERSULFATE	0.98	1.01	0.67	1.11	0.70
PHOSPHORUS, TOTAL LL	0.018	0.018	0.011	0.019	0.014
TURBIDITY	0.90	0.95	0.60	1.15	0.95

Lab Number	-16	-17	-18	-19	-20
Sample Location	TAMMACK Lk NE	BASS Lk N	Double Lk N	EAST BASS Lk #	
Sample Date / Time	10:24	10:33	10:42	10:48	
NITROGEN, TOTAL PERSULFATE	0.58	1.04	ND	0.62	
PHOSPHORUS, TOTAL LL	0.008	0.035	0.011	0.012	
TURBIDITY	0.55	2.15	0.60	0.60	